



[totalworx]TM

2024 Resource Guide



[totalworx]TM

TOTALWORX OVERVIEW

A complete line of accessories designed to make installation and care easy.

OUR MISSION

Simplicity | Service | Satisfaction

prepworxTM
Floor Prep Products

groundworxTM
Cushion + Underlayment

lokworx[®]
Seam Tape + Adhesives + Tack Strips

finishworxTM
Trims + Wall Base + Stair Treads

careworxTM
Cleaners + Disinfectants



MULTI-USE



HARDWOOD



RESILIENT



CARPET



TILE & STONE



LAMINATE



Floor Prep..... 6
Floor Prep for Gypsum Subfloors 6-7
Primers, Waterproofing, Crack Isolation..... 7-8
Moisture Solutions..... 9



Resilient Underlayment..... 11
Hardwood & Laminate Underlayment 12
All Flooring Types Underlayment 13-14
Carpet Cushion..... 14-18



Tack Strip..... 20
Multi-Use Adhesive..... 21
Hardwood Adhesive..... 21-22
Soft Surface / Carpet Tile Adhesive..... 22-24
Resilient Adhesive 24-26
Wall Base Adhesive..... 26-27
Setting Materials 27-28
Grout 28-29
Caulk..... 29



Stair Tread System 31
Stair Riser 31
Metal Trims:
 Carpet..... 31
 Resilient..... 32
 Tile & Stone..... 32
Shower Pan System..... 34-35
Wall Base 36-37
Wall Base Transitions..... 38
Micro Transitions..... 39
Rubber Stair Treads 40



St. Jude Cleaner Program..... 42
St. Jude Cleaner Display 43
Resilient Care Products 43
COREtec Encore Cleaner Program..... 43-44
Pet Perfect Cleaners..... 44
Walk Off Mats..... 45
Shaw Shower Wall System 46-47

prepworx™

Floor Prep

Fine Finish Patch

No moisture testing required

CT US146
 PC/SS 278MM
 HS 324SA

GOOD
 BETTER
 BEST



- Designed for high moisture applications
- Provides a smooth finish over concrete subfloors
- Fast drying — install floor covering in as little as 15 minutes
- Install from featheredge to 1/2" (13 mm)
- Easy to mix; may be retempered multiple times without the addition of water to extend working time
- No priming necessary for most applications
- 10-lb. bag approximate coverage: 1/8" – 36 ft²
- 108 bags per pallet

Underlay-SLU

Self-leveling underlayment

CT US192
 PC/SS 104MM
 HS CS54E

GOOD
 BETTER
 BEST



- Fast-setting
- Installer-friendly
- Feather edge to 3/4" thickness
- 4,100 PSI hardness—perfect for retail and light commercial
- 50-lb. bag approximate coverage: 1/4" – 25 ft²; 1/8" – 50 ft²
- 48 bags per pallet

Self Leveling Patch

Unique patching compound

CT USC09
 PC/SS 159MM
 HS 119SM

GOOD
 BETTER
 BEST



- Fast drying — install floor covering as soon as 30 minutes
- Fortified mix with no additives required
- For skim coating, leveling and patching
- Interior and exterior applications
- 25-lb. bag approximate coverage: 35 ft² (1/8" thick)
- 96 bags per pallet


Floor Prep for Gypsum Subfloors

Tuf-Skim

Repair Patch / Feather Edge Finish

CT 04Y40
 PC/SS 154MM
 HS 120SA

GOOD
 BETTER
 BEST



- Floor patch
- Fast-setting — install flooring in 30 minutes
- UL classified for use in 135+ fire-rated assemblies
- Specifically designed to bond to gypsum-based underlayments, but can be used over wood and concrete subfloors
- Feather edge finish up to 1/2" in large areas, any thickness in defined areas such as thresholds and depressions
- 25-lb. bag approximate coverage: 48 ft² (1/8" thick) / 96 ft² (1/16" thick)
- 100 bags per pallet

Quik Top FR

Fiber-reinforced

CT USC08
 PC/SS 156MM
 HS 125SA

GOOD
 BETTER
 BEST



- UL Fire Rating classified and specified for use in 135+ assemblies
- No mechanical preparation required for most applications
- Provides smooth surface with improved impact resistance and load distribution
- Enhances crack resistance and impedes crack propagation
- 50-lb. bag approximate coverage: 21 ft² (1/4" thick)
- 56 bags per pallet;

Floor Prep for Gypsum Subfloors *continued*

Quik Top

Self-leveling underlayment

CT 04Y41
 PC/SS 155MM
 HS 121SA

GOOD
 BETTER
 BEST



- UL Fire Rating classified and specified for use in 135+ assemblies
- No mechanical preparation required for most applications
- Suitable for most floor coverings
- Install ceramic tile in 4 hours; other floors in 15 hours
- 50-lb. bag approximate coverage: 21 ft² (1/4" thick)
- 56 bags per pallet

Primers | Waterproofing | Crack Isolation

9050 Multi-Purpose Primer

Multi-function floor primer

CT USC10
 PC/SS 101MM
 HS 905VS

GOOD
 BETTER
 BEST



- Easy roll-on application
- 300 – 350 ft²/gal. spread rate
- Ideal for lightweight concrete, plywood, floor patch and other porous surfaces
- pH blocker neutralizes excess alkali to safe 5–9 range
- 4-gal. pail, 48 pails per pallet

Fine Finish Primer

Multi-purpose primer

CT US257
 PC/SS 326MM
 HS 341SA

IMAGE NOT
 AVAILABLE
 FOR THIS
 PRODUCT

- Primer for bonding Fine Finish Patch to nonporous surfaces
- Required when using Fine Finish Patch over MoistureTek
- Easy to apply with a brush or roller
- Low VOC
- Shaw selling name is Fine Finish patch — but product ships under manufactured name TEC 560 Multipurpose Primer
- 1-gal jug; 208 jugs per pallet

Durock Primer Sealer

High-quality floor underlayment primer-sealer

CT US114
 PC/SS 234MM
 HS 199SA



- Ideal for use on porous and nonporous concrete subfloors, wood and gypsum underlayment
- Fast drying, single-coat application
- Ready to use (no dilution for nonporous surfaces)
- Enhances bond of most adhesives when used as a sealer
- Effective sealer of gypsum-based underlayment prior to application of water-based floorcovering adhesives
- Mildew resistant; no adverse effect on floor-covering adhesives and no staining of finished floor coverings

- 350 ft²/gal spread rate
- 1-gal. jug, 288 jugs per pallet

Fusion Primer

Epoxy consolidation treatment

CT 04Y39
 PC/SS 158MM
 HS 119SA



- Surface consolidation treatment for the repair of damaged gypsum underlayments
- Bonds damaged gypsum floors together
- One coat, waterborne epoxy primer used prior to Quik-Top underlayment or Tuf-Skim
- Helps maintain UL Fire Ratings
- Fast cure time
- Low VOC and low odor
- Reduces surface dust and chalkiness
- Increases hardness and internal strength of gypsum matrix
- One kit mixed yields 5 gallons; 200 ft²/gal. as a consolidator and 400 ft²/gal. when used as a primer
- 36 boxes per pallet; 2 cans per box

Primers | Waterproofing | Crack Isolation *continued*

Durock Matrix

Bond enhancer

CT US154
PC/SS 250MM
HS 130SA



- Can be used as an embossing leveler when mixed with Fine Finish Patch, NE Floor Patch, Gypsum Patch, or X Floor Patch
- Increases flexibility
- Improves adhesion and crack resistance
- Easy to mix and apply
- Improved coverage rates
- 1-gal. jug; 48 per pallet

SLU Primer

Primer for SLU

CT US155
PC/SS 103MM
HS CS55E



- Prepares uneven concrete or exterior-grade plywood floors for leveling
- Ready substrates for smoothing rough and spalled concrete
- Improves self-leveling for large format tile installations
- Increases bond strength
- Inhibits rapid water loss
- Approximate coverage: 600 ft² - concrete / 250-300 ft² - plywood or existing tile
- 1-gal. jug; 144 jugs per pallet

Fabric Base

Reinforcing fabric

CT USC89
PC/SS 330MM
HS CS84K



- Significantly reduces reflective cracking
- Flexible—resists tearing
- High-tensile strength
- Easy to cut and install
- Non-adhesive—lays flat
- Tough and durable
- 8" x 90' roll / 60 ft²

UnGLU'd

Biodegradable glue remover

CT US206-4G US243-1G
PC/SS 300MM-4G 316MM-1G
HS 336SA-4G 340SA-1G



- Reliable, safe, fast-acting
- Effective in removing all types of glue
- Safer alternative for the removal and containment of asbestos-based mastics
- Fast-acting—2-hour minimum dwell time—overnight for best results
- Coverage ranges 80-100 ft²/gal.
- 4-gal. pail; 36 pails per pallet

Hydro Guard SP-1

Elastomeric waterproof and crack isolation membrane

CT USC87
HS CS62K



- Built-in antimicrobial for mold and mildew resistance at the substrate
- Thin section that does not interfere with elevations
- Bonds directly to metal, PVC, stainless steel and ABS drains
- Interior or exterior
- Adheres to all common surfaces
- Crack isolation up to 1/8"
- Approximate coverage 50 ft² per gallon
- Available in 1-gal. and 5-gal. pails

Fracture Guard

Liquid-applied elastomeric crack isolation membrane

CT USC86
PC/SS 331MM
HS CS74K



- Low VOC
- Interior or exterior
- Crack isolation up to 1/8"
- Adheres to all common surfaces
- Thin section—does not interfere with elevations
- Apply with brush, roller or trowel
- Mold and mildew resistance
- Approximate coverage 280 ft² per 3.5 gallon pail
- Available in 3.5-gal. pail; 48 pails per pallet

Moisture Solutions

MRP

Barrier primer

CT US147
PC/SS 205MM
HS 195SA



- Barrier primer for contaminants resulting from chemically or mechanically abated subfloors
- Protects up to 99% RH, 14 MVER, 14pH
- 2-part water-based epoxy
- Cures in 6 hours
- Covers 600 sf/4-gallon kit
- Provides moisture protection
- Can be used over a variety of challenging surfaces

Moisture Shield

Spray applied moisture mitigation

CT US156
PC/SS 162MM
HS 327SA



- Controls moisture in most flooring conditions
- Spray on product
- Penetrates concrete 2 to 4 mm
- Applies and dries in as little as 3 hours
- Approximate coverage:
 - 150-175 ft² per gal - new concrete after pour
 - 225 ft² per gal - existing porous concrete
- 4-gal. pail / 36 pails per pallet

Moisture Tek

Extreme moisture mitigation

CT US123
PC/SS 205MM
HS 328SA



- Two-part Epoxy
- 100% RH, >25 MVER, >12 pH
- 40-minute open time
- Install flooring 24 hours after concrete is poured
- Covers 400 ft²/4-gallon kit
- Cures in 6-8 hours depending on ambient temperature and humidity

Surface Prep EXT

Alternative to bead blasting

CT US157
PC/SS 163MM
HS 329SA



- Concrete cleaner & heavy duty etching agent
- Use as alternative for mechanical methods of grinding and/or shot blasting
- When used properly (once applied and removed):
 - Surface level contaminates will be removed
 - Surface pH will be reduced
- 225 ft² coverage per gallon
- 4 gallon pail / 36 pails per pallet

Quik-Fill

Concrete floor crack repair

CT US158
PC/SS 261MM
HS 194SA



- No substrate testing required
- No pre-mixing needed
- 10 year limited warranty
- 40 minute wait time after application before traffic to space (must keep space at 70°F temperature)
- Quick and easy installation prep and process
- Sold by box; 12 cartridges per box

Resilient Underlayment

Acoustic

Hush III Cork 3mm

Impact sound control

CT 08V41
PC/SS 203MM
HS 118SA

GOOD BETTER BEST



- Use with hardwood, laminate, ceramic and natural stone
- 100% natural and sustainable cork
- Non-toxic and hypoallergenic
- Naturally resistant to mold and mildew
- Approved for use with SPC or WPC floors with attached pad
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 48" × 50' / 200 ft² / 3 mm (approx. 1/8")

GroundWorks

Acoustical underlayment

CT USC11 Jumbo USC12
PC/SS 5430V Jumbo 5000V
HS 074VS Jumbo 129VS

GOOD BETTER BEST



- Loose-lay GroundWorks and float LVT/LVP or glue GroundWorks and glue LVT/LVP
- Not to be used for grouted LVT installations
- Excellent sound suppression over concrete or wood truss system
- GREENGUARD Indoor Air Quality Certified Suitable for use with radiant heat flooring
- Extends residential wear warranty 5 years on Shaw LVP
- Radiant Heat Approved — Subfloor temperature can not exceed 85° for radiant heat installation
- 3' × 33.34' / 100 ft² per roll
- Also available in jumbo rolls — 6' × 75' / 450 ft²; 1.4 mm thick

Bravo Advanced

Sound reduction & comfort

CT US171
PC/SS 284MM
HS 330SA

GOOD BETTER BEST



- Loose-lay Bravo Advanced and float LVT/LVP or glue Bravo Advanced and glue LVT/LVP
- Not to be used for grouted LVT installations
- Use with luxury vinyl, hardwood and laminate. This product features sound suppression and moisture barrier
- Proper thickness for comfort and stability
- For use over concrete or wood substrates on all grade levels
- Radiant Heat Approved — Subfloor temperature can not exceed 85° for radiant heat installation
- IIC 73 / STC 72
- WVTR rating of 0.25 lbs / 1,000 ft² / 24h
- 43" × 57' / 200 ft² per roll; 1.5 mm thick

Hardwood & Laminate Underlayment

Moisture & Acoustic

Selitac Advanced

For laminate & engineered hardwood

CT US159
PC/SS 281MM
HS 164SM

GOOD BETTER BEST



- Superior sound and moisture protection for laminate and engineered hardwood
- Lip and tape feature — tape still needed for end cut transitions (see Quick Guide for tape information)
- End Seams need to be taped with Selistop tape when used over concrete subfloors
- Printed fanfold panels are easy to lay and easy to cut
- Excellent thermal insulation
- IIC-69dB — STC-66dB

- Extends Shaw Laminate residential wear warranty 10 years
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 4' x 25' / 100 ft² per box; 2 mm thick

SilentStep Ultra

For laminate & hardwood floating flooring

CT US210
PC/SS 301MM
HS 165SM

GOOD BETTER BEST



- Excellent sound and moisture protection for laminate and floating hardwood floors
- Attached polyethylene moisture barrier with seam overlap protection with an easy to use, peel and stick tape
- Superior moisture protection
- High density 100% closed cell polyolefin foam core
- Stable, will not crumble or deteriorate under flooring
- IIC-72 dB — STC-72 dB

- Extends Shaw residential wear warranty 10 years
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 42" x 28.57' / 100 ft² per roll; 2 mm thick

Acoustic

SofSound II

For laminate & engineered hardwood

CT US211
PC/SS 232MM
HS 167SM

GOOD BETTER BEST



- Made from 100% Post Industrial Fiber Waste saves money and the environment (pad color may vary)
- Stronger film-to-pad bond for enhanced performance and ease of use
- Approved over radiant heat
- Approved over wood or concrete for all floating floors
- IIC - 69dB; STC - 66dB
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 6' x 33.33' / 200 ft² / 1/8" thick

Essential Foam

For laminate & engineered hardwood

CT US193
HS 168SM

GOOD BETTER BEST



- Made in the USA
- For use on or above grade level over wood substrate
- Proper thickness for comfort and stability
- Does not support the growth of mold and mildew
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 48" x 25' / 100 ft²

Tri Shield

Multi-use underlayment

CT US195
PC/SS 299MM
HS 332SA

GOOD BETTER BEST



- Use with laminate and engineered hardwood
- Mold and mildew resistant
- Provides acoustical value
- Includes overlap and tape for quick and easy installation
- IIC - 67dB / STC - 67dB
- 42" x 28.57' roll / 100 ft² / 2 mm thick
- 48 rolls per pallet

2-N-1 Pro Foam

For laminate & engineered hardwood

CT US144
PC/SS 302MM
HS 166SM

GOOD BETTER BEST



- Bonded polyethylene layer provides a moisture-retardant barrier to protect your floor
- Proper thickness for comfort and stability
- For use over concrete or wood substrates on all grade levels
- Radiant Heat Approved — subfloor temperature can not exceed 85° for radiant heat installation
- 40" x 60' / 200 ft² per roll

All Flooring Types Underlayment

(excluding Tile & Stone)


Moisture & Acoustic

Pet Perfect Resilient Underlayment

Premium LVT underlayment

CT US203
PC/SS 329MM
HS 335SA

GOOD BETTER BEST



- Premium LVT underlayment featuring sound suppression and moisture barrier
- Guards against mold and mildew beneath subfloor
- Lip and tape feature — tape still needed for end cut transitions (see Quick Guide for tape information)
- End seams must be taped with Selitac Tape when used over concrete subfloors
- Smoothes uneven subfloors to save you time and money with no messy prep work


- Thermal insulation makes product great for basements — makes floors feel warmer
- Shock-absorbing technology supports floor locking system - increases comfort
- Fanfold panels lay flat and easy-to-cut grid lines make install simple
- Radiant Heat Approved — subfloor temperature cannot exceed 85° for radiant heat installation
- 3.9' x 25.7' / 100 ft² per box / 1.5 mm thick / 56 boxes per pallet

Foundation

Premium acoustical flooring underlayment

CT US235
PC/SS 334MM
HS 331SA

GOOD BETTER BEST



- High-density synthetic rubber underlayment
- Use with Luxury Vinyl, Hardwood and Laminate
- Prevents spills from getting to subfloor and allows moisture vapor to escape from beneath
- 4. 54" x 44' / 200 ft² roll / 1.42 mm thick
- 36 rolls per pallet

Moisture

6 mil Poly Film

Moisture barrier for concrete floors

CT US101 Jumbo US160
PC/SS 209MM Jumbo 270MM
HS 101SS Jumbo 102SS

GOOD BETTER BEST



- For use over concrete substrates on all grade levels
- Self-sealing tape at seams for easy installation
- Contains recycled content
- Made in the USA
- For floating laminate, hardwood, and luxury vinyl floors
- 46"W x 26.33'L / 100 ft² roll
- 46"W x 104.5'L / 400 ft² roll

Acoustic

Cork 6 mm

Impact sound control

CT 08V40
PC/SS 204MM
HS 101SS

GOOD BETTER BEST



- Use with hardwood, laminate, ceramic and natural stone
- 100% natural and sustainable cork
- Non-toxic and hypoallergenic
- Naturally resistant to mold and mildew
- Radiant heat approved — subfloor temperature can not exceed 85° for radiant heat installation
- 6 mm (approx. 1/4") / 200 ft²/roll; 48" x 50'

All Flooring Types Underlayment *continued*

Extreme Moisture

Kovara MBX
Rolled moisture barrier for concrete floors

CT US110
PC/SS 5432V
HS 090VS



- Extreme moisture protection
- 10-year limited warranty
- Up to 99.5% RH
- Radiant heat approved—subfloor temperature can not exceed 85° for radiant heat installation
- 5' x 144' | 720 ft²

Kovara 95
Rolled moisture barrier for concrete floors

CT US109
PC/SS 5431V
HS 089VS



- Extreme moisture protection
- 10-year limited warranty
- Up to 95% RH
- Radiant heat approved—subfloor temperature can not exceed 85° for radiant heat installation
- 5' x 144' | 720 ft²

Kovara MBX Tape
Concrete floor rolled moisture barrier

CT US112
PC/SS 5434V
HS 092VS



- 2.5" wide x 180' long
- Sold by the roll
- Blue color
- Covers the seams between cuts of Kovara MBX moisture barriers
- 12 rolls per box / 100 boxes per pallet

Kovara 95 Seam Tape
Concrete floor rolled moisture barrier

CT US111
PC/SS 5433V
HS 091VS



- 2" wide x 180' long
- Grey color
- Covers the seams between cuts of Kovara 95 moisture barriers
- 12 rolls per box / 112 boxes per pallet

Kovara Double-Sided Tape
Concrete floor rolled moisture barrier

CT US113
PC/SS 5435V
HS 093VS



- 4" wide x 100' long
- White color
- Seals the seams of regular Kovara MBX product installations to create a monolithic barrier against moisture and alkalinity.
- Adheres Kovara 95 membrane to the concrete substrate
- 12 rolls per box / 80 boxes per pallet

Carpet Cushion

Commercial Urethane

Duraworx
Commercial urethane carpet cushion

GOOD BETTER BEST



- Go-to cushion for virtually any commercial installation (stretch-in, double glue broadloom, double glue under EcoWorx Tile)
- Class III extra heavy traffic rating for stairs and roller traffic
- Breathable moisture barrier and antimicrobial content

Weight	47 oz.	Roll Size	6' x 45' / 30 yd²
Thickness	0.2"	Traffic Class	Class III - Extra Heavy
Density	19 lbs.	Warranty	Life of Carpet

Carpet Cushion *continued*

St. Jude & Pet Perfect

Hope
Exceptional value, supports your floor and St. Jude

GOOD BETTER BEST



- Enhances the life of your carpet
- Moisture barrier prevents spills and pet accidents from penetrating the cushion for up to 24 hours
- Life of the carpet warranty to original purchaser
- 8 lb., 7/16"
- 6' x 30' / 20 yd²

Charity
Top-selling cushion with memory foam comfort


GOOD BETTER BEST



- Memory foam
- Moisture barrier prevents spills and pet accidents from penetrating the cushion for up to 24 hours
- Life of the carpet warranty to original purchaser
- 8 lb., 15/32"
- 6' x 30' / 20 yd²

Courage
Maximum comfort for a luxurious feel

GOOD BETTER BEST PREMIUM



- ComforTouch™ exceptional comfort underfoot and long-lasting support
- Densified urethane is designed for maximum softness and durability
- Dual moisture barrier offering a 24-hour barrier on both sides of the cushion
- Life of the carpet warranty to the original purchaser
- 1/2" thick
- 6' x 45' / 30 yd²

Victorious Plus
Our flagship, ultra-luxe cushion

GOOD BETTER BEST PREMIUM



- Luxurious and resilient cushion that maintains original firmness and support
- 10-lb. density frothed urethane for ultimate high performance
- Moisture barrier prevents spills and pet accidents from penetrating the cushion for up to 24 hours
- Life of the carpet warranty to the original purchaser
- 10 lb., 7/16"
- 6' x 45' / 30 yd²

White Hot
Performance cushion for Anderson Tuftex carpet

GOOD BETTER BEST



- Moisture barrier prevents spills and pet accidents from penetrating the cushion for up to 24 hours
- Life of the carpet warranty to original purchaser
- 8 lb., 15/32"
- 6' x 37'6" / 25 yd²

Pet Perfect
The perfect pair to Pet Perfect carpet

GOOD BETTER BEST



- Moisture-resistant barrier
- Activated carbon for odor control
- Life of the carpet warranty; upgraded warranty when Pet Perfect carpet and Pet Perfect cushion are purchased together
- 8 lb., 0.450"
- 6' x 30' / 20 yd²

Choice for comfort and value

- ## Ruby

Superior Plus

Support Plus

Ruby Plus

Superior

Altima

Sunbeam

CushionWorx Lite

GOOD

BETTER

BEST



- Performs with EcoWorx™ carpet tile
- Delivers underfoot comfort
- IIC rating of 76 dB¹
- STC rating of 66 dB¹
- Made in the USA
- 6'3" × 150' / 105.6 yd² / 2mm / .080" thick

Synthetic Fiber


DS-34 Fiber

Rug Pad

GOOD

BETTER

BEST



- High-quality rug pad will make your rug last longer, keep it beautiful longer and keep it in place better
- Made with 100% recycled face fiber that offers extra cushion and support
- Can be cut to length to fit all rug sizes
- Surface finish secures the back of the area rug to the padding
- Basket weave design on backing grips the floor, keeping the rug in place
- 10-year warranty

Density	7.5 lbs	Roll Size	6' x 60' / 40 yd ²
Thickness	0.20"		12' x 60' / 80 yd ²

CushionWorx

Premium polyethylene cushion for EcoWorx™ tile

GOOD


BETTER


BEST



- Performs with EcoWorx™ carpet tile
- Delivers underfoot comfort
- IIC rating of 76 dB¹
- STC rating of 66 dB¹
- Made in the USA
- 6'3" x 150' roll / 105.6 yd² / 3 mm / .125" thick

Carpet Cushion *continued*
Synthetic Fiber

Fiber Touch						
<div><div>GOOD</div><div>BETTER</div><div>BEST</div></div>						
	<ul style="list-style-type: none">Premium recycled synthetic fiber cushionPremium blend of synthetic fiber provides long-lasting support in high-traffic areas					
	Weight	20 oz	24 oz	28 oz	32 oz	40 oz
	Thickness	0.235"	0.25"	0.30"	0.3125"	0.35"
	Density	7 lb/ft³	8 lb/ft³	8 lb/ft³	8.5 lb/ft³	9.5 lb/ft³
	Roll Size	6' x 60'	6' x 60'	6' x 60'	6' x 60'	6' x 60'
	Yd²/Roll	40	40	40	40	40
	Traffic Class	Class I	Class I	Class II	Class II	Class III
	Warranty	10 Year	10 Year	10 Year	10 Year	10 Year
	Radiant Panel	Class I	Class I	Class I	Class I	Class I
	Green Label Plus Certified	GLP012	GLP012	GLP012	GLP012	GLP012
Cradle to Cradle Certification		Bronze	Bronze	Bronze	Bronze	Bronze

Fiber Select						
<div><div>GOOD</div><div>BETTER</div><div>BEST</div></div>						
	<ul style="list-style-type: none">Value fiber blend using a variety of fiber types to create a dense, long-lasting fiber cushionSimilar durability to Fiber Touch, without the premium fiber blend that gives Fiber Touch a consistent appearance					
	Weight	20 oz	24 oz	28 oz	32 oz	40 oz
	Thickness	0.235"	0.25"	0.30"	0.3125"	0.35"
	Density	7 lb/ft³	8 lb/ft³	8 lb/ft³	8.5 lb/ft³	9.5 lb/ft³
	Roll Size	6' x 60'	6' x 60'	6' x 60'	6' x 60'	6' x 60'
	Yd²/Roll	40	40	40	40	40
	Traffic Class	Class I	Class I	Class II	Class II	Class III
	Warranty	10 Year	10 Year	10 Year	10 Year	10 Year
	Radiant Panel	Class I	Class I	Class I	Class I	Class I
	Green Label Plus Certified	GLP012	GLP012	GLP012	GLP012	GLP012
Cradle to Cradle Certification		Bronze	Bronze	Bronze	Bronze	Bronze

lokworx®

Tack Strip

Tack Strip Concrete 11/16" Nail

Designed for new construction projects

UNIT ROLL
CT USC95 CT201
PC/SS 246MM 142SM
HS

GOOD BETTER BEST



- For use in new construction/new concrete
- 100 4' sticks per box/400 linear feet total
- 45 boxes per pallet

Tack Strip Concrete 5/8" Nail

Designed for remodel projects

UNIT ROLL
CT USC93 CT201
PC/SS 247MM 519SF
HS 143SM

GOOD BETTER BEST



- For use in remodels/old concrete
- 100 4' sticks per box/400 linear feet total
- 50 boxes per pallet

Tack Strip Wood 3/4"

Used for all wood substrates

UNIT ROLL
CT USC92 CT201
PC/SS 248MM 520SF
HS 144SM

GOOD BETTER BEST



- For use on wood subfloors
- 1" wide
- 100 4' sticks per box/400 linear feet total
- 45 boxes per pallet

Tack Strip Elastical

Designed for gypsum subfloors

UNIT ROLL
CT USC94 CT201
PC/SS 285MM 517SF
HS 145SM

GOOD BETTER BEST



- For use on gypsum subfloors
- 100 4' sticks per box / 400 linear feet total
- 30 boxes per pallet



All tack strip is Shaw branded

Seam Tape

Blue Line Seam Tape



- Roll is 3 3/4" wide x 20 yd long
- Sold by the box; 10 rolls per box

Multi-Use Adhesive

TTT Adhesive Tread-Trim-Tack Strip

Elastomeric tubed adhesive

10.5-oz 29-oz.
CT US107 US140
PC/SS 249MM 318SA
HS 317SA

GOOD BETTER BEST



- Used with Stair treads, molding trims and tack strip—but can also be used as glue assist for engineered hardwood
- Modified-silane adhesive
- Two-hour curing time
- High bond strength
- Excellent elongation properties
- Spread rate will vary based on application
- Sold by box only
- 10.5-oz. tube / 12 tubes per box / 50 boxes per pallet
- 29-oz. tube; 4 tubes per box; 126 boxes per pallet

35 MC

Premium urethane-based adhesive

CT US117
PC/SS 251MM
HS HS105

GOOD BETTER BEST



- Can be used with mineral-core resilient and engineered hardwood
- No subfloor moisture testing required
- Premium urethane wood flooring adhesive
- Ultimate moisture and sound control
- Ideal for high moisture content slabs
- Crack suppressant
- Low odor—VOC compliant
- Pail includes trowel for moisture control installation
- Excellent green strength
- 35 ft²/gal with enclosed trowel blade—60 ft²/gal as adhesive only
- 4-gal. pail; 36 pails per pallet

Hardwood Adhesive

No Moisture Test

3-in-1 Ultra

Premium modified silane

CT US118
PC/SS 252MM
HS 111SA

GOOD BETTER BEST



- Can be used with mineral-core resilient and engineered hardwood
- No subfloor moisture testing required when troweled as a moisture barrier
- Crack suppressant
- Ultimate moisture and sound control
- Low odor, low VOC
- Greenguard® certified for indoor air quality
- Clip-on trowel blade provided with each pail
- 35 ft²/gal. for moisture/sound—60 ft²/gal. as adhesive only
- Easy cleanup with soap and water
- 4-gal. pail; 48 pails per pallet

Tongue & Groove

Acrylic-based tongue & groove adhesive

CT US168
PC/SS 320MM
HS 149SM

GOOD BETTER BEST



- 16-oz bottle
- Dries clear
- Good water resistance
- Fast setting time
- Easy clean up with water
- Low odor and VOC content
- Approximately 80-100 ft² spread rate per bottle
- 6 bottles per box; 165 boxes per pallet

Hardwood Adhesive

Moisture Test Required

Urebond Enhanced

Moisture protection up to 95% RH or 12 lbs.

CT US116
PC/SS 253MM
HS 163SM

GOOD

BETTER

BEST



- Up to 95% RH or 12 lbs (5.44 kg)
- Crack suppression
- Clip-on trowel included for moisture control
- Can be used with: engineered hardwood
- Spread rate: 35 ft² per gallon for moisture control / 50-60 ft²/ gal. for bond only
- 4-gal. pail; 48 pails per pallet

Hybrid

Elastomeric adhesive

CT US169
PC/SS 333MM
HS 156SM

GOOD

BETTER

BEST



- High-strength, elastomeric membrane
- Easy application, easy to trowel
- Solvent and isocyanate-free
- 95% RH moisture protection
- Non-staining, easy-to-clean
- Non-slump formula
- Extremely low odor
- Spread rate: 20-30 ft²/gal. for moisture control / 60 ft²/gal. for bond only (rates differ based on trowel)
- 4-gal. pail; 48 pails per pallet

Shaw 70

Elastomeric adhesive

GOOD

BETTER

BEST



- Waterproof adhesive bond when fully cured
- High solids — cross-linking technology
- Low VOC
- Immediate tack/wet grab — “Green Strength”
- Strong, elastomeric, flexible bond
- Easy troweling — non-slumping formula
- Meets USGBC LEED EQ Credit 4.1 requirements
- Can be used with engineered hardwood

Soft Surface Adhesive

Broadloom

1000 Broadloom

Premium multi-purpose

PC/SS D1000

GOOD

BETTER

BEST



- Aggressive tack, fast grab
- Permanent, water-resistant bond
- Up to 2 hours working time
- LEED v4 contributing
- 10 lbs./95% RH
- 5-10 pH
- 8-10 yd²/gal.
- 4-gal. pail; 48 pails per pallet

3800 Indoor-Outdoor

For interior and exterior use

PC/SS D3800

GOOD

BETTER

BEST



- Universal indoor/outdoor adhesive
- Suitable for indoor/outdoor products in residential, light commercial traffic, walk off and entry ways
- Light commercial traffic, residential, walk off and entry way BL: 8-10 yd²/gal. with 1/8" × 1/8" × 1/8" U-notch trowel
- Walk off, entry way TL: 12-15 yd²/gal. with 1/16" × 1/16" × 1/16" square notch trowel
- 8 lbs./90% RH*
- 1-year warranty
- 4-gal. pail; 48 pails per pallet

Broadloom Seam Sealer

Latex broadloom seam sealer

PC/SS D4000

GOOD

BETTER

BEST



- Broadloom seam sealer
- 550-600 linear feet/qt.
- 1 qt., 22 lbs.; 12 qts. per case

8300 Seam Sealer

Moisture-impervious carpet seam sealer

PC/SS D8300



- Moisture impervious seam sealer
- 138-150 linear feet
- 8-oz bottle
- 8.5 lbs (12/case)

800 Broadloom

Standard broadloom adhesive

PC/SS 504SF

GOOD

BETTER

BEST



- Permanent, water-resistant bond
- Up to 120-minute working time
- Easy application
- Low VOC, low odor
- Solvent-free
- Antimicrobial technology
- 5 lbs./85% RH
- 5-9 pH
- 8-10 yd²/gal.
- 4-gal. pail; 48 pails per pallet

Carpet Tile

5000 Carpet Tile – LokWorx+

Premium releasable PSA

PC/SS D5000

GOOD

BETTER

BEST



- Immediate access for light traffic
- Aggressive tack, fast grab
- Releasable adhesive
- Water-resistant bond
- LEED v4 contributing
- 15 lbs. — 97% RH
- 5-11 pH
- 250-350 ft²/gal.
- 1-gal. pail; 180 pails per pallet
- 4-gal. pail; 48 pails per pallet

3000 Carpet Tile – LokWorx

Releasable PSA

PC/SS 280MM

GOOD

BETTER

BEST



- Immediate access for light traffic
- Aggressive tack, fast grab
- Releasable adhesive
- Water-resistant bond
- LEED v4 contributing
- 10 lbs. — 95% RH
- 5-11 pH
- 250-350 ft²/gal.
- 1-gal. pail; 180 pails per pallet
- 4-gal. pail; 48 pails per pallet

Soft Surface Adhesive *continued*

LokSeam

Used to join carpet and resilient products

PC/SS Starter Kit 264MM
Applicator 262MM
Replacement Kit 263MM

GOOD BETTER BEST



- LokSeam Replacement Applicator
- LokSeam Replacement Kit: 3 50-mil cartridges and 5 mixers
- LokSeam Starter Kit: applicator, 2 50-mil cartridges (2-part), 5 mixers

LokDots Adhesive

Carpet tile adhesive system

PC/SS Half Sleeve 507SF
Full Sleeve 508SF
Applicator 509SF

GOOD BETTER BEST



- LokDots™ adhesive dot applicator and sleeve
- No moisture or pH testing required in non-hydrostatic situations
- 1500 LokDots per roll
- 125-175 yd. / 1/4" diameter
- 10 lbs./95% RH/12 pH
- Applicator and LokDots sold separately; 4 rolls per box

Soft Surface *continued*

LokWorx Tabs

Carpet tile adhesive system

PC/SS 510SF

GOOD BETTER BEST



- Applicator—1 applicator
- Box—500 adhesive squares per roll
- Case—10 boxes of 500 squares per roll
- 5 lbs./85% RH/12 pH

Multi-Use Adhesive

Advantage Floor Grip

PC/SS 514SF

GOOD BETTER BEST



- No patterned products
- No unitary products
- No EcoWorx broadloom products
- No attached cushion products
- 40" x 150' / 55 yd²/roll; 30 rolls per pallet

Resilient Adhesive Commercial

4151

Premium multi-use commercial adhesive

CT US164
PC/SS 5033V

GOOD BETTER BEST



- Pressure sensitive adhesive for modular and resilient products
- Commercial-grade with under-bed warranty
- Can be used with non-pattern broadloom carpet
- 35-40 yd/gal with paint roller
- 99% RH / 12 lbs.
- 28-33 yd/gal with 1/16" x 1/32" x 5/64" U-notch trowel
- 4-gal. pail; 36 pails per pallet

4200 Resilient – LokWorx+

Premium resilient commercial adhesive

CT US105
PC/SS 236MM
HS 302SA

GOOD BETTER BEST



- Contains recycled polymer content
- Commercial-grade with under-bed warranty
- Transitional adhesive
- High-strength, water resistant bond
- One-part system increases ease of install
- LEED v4 contributing
- 99% RH
- 175-225 ft²/gal spread rate
- 1-gal. pails; 180 pails per pallet
- 4-gal. pails; 48 pails per pallet

Resilient Adhesive Commercial *continued*

S150-95 Spray

Spray commercial adhesive

CT US119
PC/SS 5405V
HS 069VS

GOOD BETTER BEST



- LVP / LVT and fiberglass-backed sheet goods adhesive
- Commercial-grade with under-bed warranty
- Fast, easy spray application
- "0" VOC
- Cradle to Cradle Certified
- Up to 150 ft² per can
- Up to 95% RH
- 22-oz. spray can

2200 Resilient – LokWorx

Commercial adhesive

CT US142-4G US121-1G
PC/SS 239MM-4G 240MM-1G
HS 197SA-4G 196SA-1G

GOOD BETTER BEST



- Aggressive tack—fast grab
- Transitional adhesive
- High-strength, water resistant bond
- 1-part system increases ease of install
- LEED v4 contributing
- 95% RH
- 175-225 ft²/gal spread rate
- 1-gal. pail; 180 pails per pallet
- 4-gal. pail; 48 pails per pallet

MS Resilient

Premium resilient commercial adhesive

CT USC80
PC/SS 5025V
HS 100LV

GOOD BETTER BEST



- No subfloor moisture testing required
- No pH testing required
- Sound control
- High-strength, waterproof bond
- Great for kitchens and baths, where continuous moisture is present
- One part—no mixing
- 175 - 225 ft²/gal spread rate
- 2-gal. pails; 60 pails per pallet

200 TPS

Premium residential adhesive

CT USC01-4G USC03-1G
PC/SS 5004V-4G 5003V-1G
HS 026VS-4G 052VS-1G

GOOD BETTER BEST



- LVP / LVT Adhesive
- 12 lbs. or 99% RH
- Firm setting transitional adhesive
- Extended flash time
- Greenguard Certified
- 140-225 ft²/gal. spread rate
- 4-gal. pail; 48 pails per pallet
- 1-gal. pail; 180 pails per pallet

Residential

4062 Seam Sealer

Designed for fiberglass sheet goods

CT US165
PC/SS 109MA
HS 068VS

GOOD BETTER BEST



- Solvent-free sealer designed for seaming fiberglass sheet goods in direct glue down installations
- 8 oz. bottle sold individually
- 6 bottles per carton / 108 cartons per pallet

Shaw 350

Multi-purpose PSA adhesive

PC/SS 103MA-4G 105MA-1G
HS 064VS-4G 065VS-1G

GOOD BETTER BEST



- Use with LVT and LVP, Fiberglass Sheet Goods, VCT and PVC Backed Carpet Tile
- Faster flash time
- Cradle to Cradle certified
- 140-350 ft²/gal. spread rate
- Up to 99% RH
- 4-gal. pail; 48 pails per pallet
- 1-gal. pail; 144 pails per pallet

Resilient Adhesive

Residential *continued*

Kwik Flash
Accelerated flash time

CT

US108-4G

US115-1G

PC/SS

5006V-4G

5005V-1G

HS

080VS-4G

081VS-1G

GOOD

BETTER

BEST



- LVP / LVT adhesive
- Firm setting transitional adhesive
- Faster flash time
- California SCAQMD Rule 1168
- 140–225 ft²/gal. spread rate
- Up to 95% RH
- 1-gal. pails, 144 pails per pallet
- 4-gal. pails, 48 pails per pallet

DP99
Multi-purpose PSA

CT

USC45-4G

USC44-1G

PC/SS

106MM-4G

105MM-1G

HS

103LV-4G

102LV-1G

GOOD

BETTER

BEST



- Use with LVT and LVP, Fiberglass Sheet Goods, VCT and PVC Backed Carpet Tile
- Superior tack & high strength
- Extended working time
- Up to 99% RH
- pH limit 12
- Water-resistant
- LEED V4 contributing
- 140–350 ft²/gal. spread rate
- 4-gal. pails, 48 pails per pallet
- 1-gal. pails, 144 pails per pallet

T-180
Recommended adhesive for installation of Floorté glue down attached pad products

CT

US174-4G

US173-1G

PC/SS

5026V-4G

207MM-1G

HS


101LV-4G

104LV-1G

GOOD

BETTER

BEST



- Up to 95% RH
- pH limit 10
- Water-resistant
- LEED V4 contributing
- 140 – 170 ft²/gal. spread rate
- High-strength, high-tack adhesive for Shaw foam-backed luxury vinyl plank
- Extended open time, fast dry time and ease of application
- Outstanding water resistance and tenacious bond strength for demanding installations
- 1-gal. pails, 144 pails per pallet
- 4-gal. pails, 48 pails per pallet

Wall Base Adhesive

Wall Base Adhesive
Premium wall base adhesive

CT

USC96-1G

US244-4G

Tube USC81

PC/SS

5019V-1G

208MM-4G

Tube 5018V

HS

134VS-1G

133VS-4G

Tube 135VS

GOOD

BETTER

BEST



- Use with rubber and vinyl wall base
- Exceptional wet grab
- Easy clean-up
- Low Odor, “0” VOC
- Available in 1 gal and 4 gal pail (220–240 linear feet/gal)
- Also available in 30-oz. tube* (50–60 linear feet per tube)
**only available by the carton (12 tubes)*

Rubber Tread Glue
Premium rubber stair tread adhesive

CT

US228

PC/SS

219MM

GOOD

BETTER

BEST



- Solvent-free acrylic adhesive
- Spread rate is approximately 125–150 ft²/gal. or 75–90 LF of stair treads—including risers
- Spread rate is approximately 125–150 ft²/gal. or 75–90 LF of stair treads including risers
- Available in 1-gal. pail

Wall Base Adhesive *continued*

Rubber Tread Nose Caulk
Rubber stair tread nose caulk epoxy

CT

US229


PC/SS

220MM

GOOD

BETTER

BEST



- Two-component, solvent-free epoxy nose caulking adhesive
- Must be used to qualify for warranty
- Applied as a 3/8” bead beneath the stair tread nosing. Coverage is approximately 25 LF per tube
- 13.5-oz tube
- 720 tubes per pallet; 12 tubes per box

Transition Tape
Double-sided adhesive tape

CT

US231

PC/SS

260MM

GOOD

BETTER

BEST



- Immediate shear strength
- Long-lasting permanent bond
- Allows for natural expansion and contraction of materials
- Eliminates the need for wet adhesives, slow drying contact adhesives, staples, screws or nails
- Can be used with:
 - Rubber transitions
 - Metal pinless tracks
- Tape is 1”W × 25’L

Setting Materials

820 Merlite – Grey
Lightweight dustless mortar

CT

USC84

PC/SS

282MM


HS

CS44Z

GOOD

BETTER

BEST



- Superior-grade lightweight mortar with excellent bond; ideal for large and heavy tile and natural stone
- Non-sag, non slip formula holds wall tiles in place
- 30-lb. bag provides same coverage as a typical 50-lb. bag of mortar
- Exceeds ANSI A118.15, A118.4 and A118.11
- 30-lb. bag / 48 bags per pallet

820 Merlite – White
Lightweight dustless mortar

CT

USC85

PC/SS

283MM


HS

CS45Z

GOOD

BETTER

BEST



- Superior-grade lightweight mortar with excellent bond; ideal for large and heavy tile and natural stone
- Non-sag, non slip formula holds wall tiles in place
- 30-lb. bag provides same coverage as a typical 50-lb. bag of mortar
- Exceeds ANSI A118.15, A118.4 and A118.11
- 30-lb. bag / 48 bags per pallet

720 Dustless Marble Pro – Grey
Designed for large-format tile

CT

USC84

PC/SS

282MM


HS

CS44Z

GOOD

BETTER

BEST



- Premium-grade modified medium-bed thin set
- For ceramic, natural stone, porcelain and glass tile installations
- Ideal for large format, ceramic, porcelain gauged and irregular thickness stone tile installations
- Interior and exterior
- Easy adjustments against lippage
- Exceeds ANSI A118.4
- 40–70 ft²/bag spread rate
- 50-lb. bag / 48 per pallet

720 Dustless Marble Pro – White
Designed for large-format tile

CT

USC85

PC/SS

283MM


HS

CS45Z

GOOD

BETTER

BEST



- Premium-grade modified medium-bed thin set
- For ceramic, natural stone, porcelain and glass tile installations
- Ideal for large format, ceramic, porcelain gauged and irregular thickness stone tile installations
- Interior and exterior
- Easy adjustments against lippage
- Exceeds ANSI A118.4
- 40–70 ft²/bag spread rate
- 50-lb. bag / 48 per pallet

Setting Materials *continued*

705 Dustless Thin Set – Grey

Thin set mortar

CT USC83
PC/SS 151MM
HS CS40Z



- Professional-grade modified thin set
- For ceramic and porcelain installations
- Install tiles up to 14" x 14"
- Interior and exterior
- Can be used on floors and walls
- Meets or exceeds ANSI A118.4 and ANSI A118.11
- 40 – 70 ft² / bag spread rate
- 50-lb. bag / 48 per pallet

705 Dustless Thin Set – White

Thin set mortar

CT US248
PC/SS 152MM
HS CS41Z



- Professional-grade modified thin set
- For ceramic and porcelain installations
- Install tiles up to 14" x 14"
- Interior and exterior
- Can be used on floors and walls
- Meets or exceeds ANSI A118.4 and ANSI A118.11
- 40 – 70 ft² / bag spread rate
- 50-lb. bag / 48 per pallet

Pro Mastix 400

Professional tile adhesive

CT US241-3.5G US240-1G
PC/SS 315MM-3.5G 314MM-1G
HS 124SU-3.5G 123SU-1G



- Use for standard wall, floor and countertop installations
- Smooth and easy to trowel
- Ideal for small format tile
- Exceeds ANSI A136.1 Type 1 requirements for intermittent water exposure
- 1-gal. pail; 100 per pallet
- 3.5-gal. pail; 48 per pallet

Burst

Accelerator

CT US258
HS CS86G



- Reduces set time
- Easy to use
- Does not affect mortar characteristics
- Cuts work time in half
- Excellent for repair work
- More economical than standard rapid-setting mortars
- 1-lb. bag; 30 bags per case

Grout *continued*

Pro Epoxy Grout Commercial Kit

100% solids epoxy mortar and grout

HS CS73K



- High chemical resistance to many acids, alkalis, solvents and household stains
- Water cleanable before curing
- Nonflammable
- Easy workability

ProGrout+ Premium grout

CT US249
PC/SS 293MM
HS 120SU



- Premium color — pure grout joints from 1/6" to 1/2" wide
- Stain-resistant, color-consistent and efflorescence-free
- Exceeds ANSI A118.7
- Easy mixing — just add water, no additives required
- Available in 18 most popular colors
- 25-lb. bag; 96 bags per pallet

Grout Sealer

Silicone latex sealer for portland cement grouts

1-qt. 1-gal.
CT US259 US260
HS CS60E CS61E



- Easy to apply
- Water-based formula
- Interior and exterior use
- Suitable for porous, absorbent masonry, clay, stone, marble and portland cement grouts
- Offered in quart or gallon jugs

Grout

DuraColor Non-Sanded Grout

Standard unsanded grout

CT US247
PC/SS 153MM
HS CS17Q



- Use with 1/8" or less grout line
- Easy mixing — only the addition of water is required
- Easy application
- Ideal for marble and metal tiles
- Grouts joints up to 1/8" wide
- Stain-resistant — specially formulated to resist common stains
- Polymer-fortified — provides less shrinkage and is hard in the joints
- Color-consistent — maintains color without shading, blotching or efflorescence
- Mold shield antimicrobial built-in
- 10-lb. box; 96 boxes per pallet

DuraColor Sanded Grout

Standard sanded grout

CT USC90
PC/SS 296MM
HS CS16Q



- Use with 1/8" or greater grout line
- Easy mixing — only the addition of water is required
- Easy application — smooth and creamy consistency
- Grouts joints from 1/8" to 1/2" wide
- Stain resistant - specially formulated to resist common stains
- Polymer-fortified — provides less shrinkage and is hard in the joints.
- Color-consistent — maintains color without shading, blotching or efflorescence
- Mold shield antimicrobial built in
- 25-lb. bag; 96 bags per pallet

Colored Caulk Sanded

Sanded grout caulk

CT US250
PC/SS 295MM
HS CS70E



- Maximum joint width and depth should not exceed 1/4"
- Designed for use around tubs and sinks
- Use where horizontal and vertical surfaces meet
- Highly stain-resistant
- Color-consistent
- 10.5-oz. tube

Colored Caulk Smooth

Smooth grout caulk

CT US251
PC/SS 294MM
HS CS72E



- Maximum joint width and depth should not exceed 1/4"
- Designed for use around tubs and sinks
- Use where horizontal and vertical surfaces meet
- Highly stain-resistant
- Color-consistent
- 10.5-oz. tube

Silicone Caulk

100% silicone grout caulk

CT US252
HS 111SU



- Flexible
- Suitable for interior and exterior
- Suitable for wet and submerged areas
- Available in top 10 grout colors
- 10.5 oz tube; sold by each (6 per case for bulk orders)

Coordinating Trim

Due to high color variation in all flooring products, it is recommended and necessary to preselect the flooring planks prior to installation. Choose the planks that best match your trim pieces and set them aside prior to installation. This will ensure a uniform final appearance.

Stair Tread System

Durable, waterproof vinyl stair tread with pre-attached stair nosing. This stair tread is an easy, low-maintenance way to add value to your home.



- Matching colors available for majority of resilient flooring products
- 100% waterproof
- Includes end cap to be cut to size for the right or left side, then adhered to tread for open staircases
- Seamless one-piece stair tread
- Works with closed stairs or stairs with an exposed side profile
- Easy DIY install or professional installation
- 48" length × 12" width × 8.5 mm thick
- 1 piece per carton

Recommended Adhesive

- LokWorx TTT Adhesive:
 - Sold by the box
 - Available in 2 sizes: 10.5-oz. tube (12 tubes per box); 29-oz. tube (4 tubes per box)
- Approximate coverage:
 - 10.5-oz. tube — 3 stairs and 3 risers;
 - 29-oz. tube — 9 stairs and 9 risers
 - Actual coverage will vary depending on each installation

White Stair Riser

CT USC02 PC/SS PCSTR HS LVWRI



- Easy to install
- Cost-effective way to add value to your home
- Installs over existing risers
- White with smooth finish that is paintable
- 48" length × 7.5" width
- Thickness: .56"
- 3 risers per carton



Miscellaneous Trim

ZBar Silver Carpet Trim

CT US202 PC/SS 268MM HS 155SM



- Manufactured in 48" lengths to match tack strip
- Use with tack strip and carpet to create a finished edge along a hard surface flooring transition
- Roll carpet edge over Z bar then tap down to secure

Resilient

SpeedLink Spline




- Innovative tool designed to accelerate resilient flooring installations by 25-35%
- Ideal solution for backfilling flooring installations
- Compatible with various types of SPC, WPC, and resilient flooring
- 72" L × 12.13 mm W

LVT Metal Trim

Transition Trims

Designed to give homeowners, builders, contractors and installers a superior option to finish residential and commercial projects. Engineered with durable aluminum alloy and finished in three complementary colors, the perfect complement to today’s resilient flooring options. Modern minimalist design provides long lasting edge protection and elegant look for floor transitions.



- Scuff- and scratch-resistant
- Install with glue down or floating floors
- 10 year finish warranty
- 84” length
- Sold by the box—5 per box
- For residential and commercial use
- Available in 3 profiles: Reducer, Square Cap, T-Mold

Colors:


Long-lasting anodized aluminum finishes in 3 profiles and 3 colors



Satin Silver



Satin Nickel



Matte Black

Installation Range:

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

Exclusive patent pending Tap Down design eliminates space between trim and flooring.

Tile & Stone Metal Trim

TrimMaster

Tile and stone metal trims



- Engineered with Patented Straight Edge Grout Line™
- Protects exposed edges of tile
- Protects against chips and breakage
- 10-Year Warranty on finish
- Proprietary design with more metal in face of profile
- Fewer dings and dents during installation - up to 23% more metal
- Available in 7 profiles and different sizes (see selling sheet for details)
- All lengths are 98.5"
- RS Bullnose-Step Satin Silver Aluminum sold in carton of 5 pieces. All other trims sold in carton of 10 pieces.


Color Codes:



Silver – MF



Satin Silver – MA



Satin Nickel – SN



Sand Stone – SP



Polished Chrome – BDC



Stone Grey – SG



Bright White – BW

LVT Metal Trim *continued*

LVT METAL TRIM 8mm size			
CT	PC/SS	HS	
USC17	175MM	131SA	LVT Square 8mm Satin Silver
USC18	176MM	132SA	LVT Square 8mm Satin Nickel
USC19	177MM	133SA	LVT Square 8mm Dark Bronze
USC20	178MM	134SA	LVT Reducer 8mm Satin Silver
USC21	179MM	135SA	LVT Reducer 8mm Satin Nickel
USC22	180MM	136SA	LVT Reducer 8mm Dark Bronze
USC23	181MM	137SA	LVT T-Shape 8mm Satin Silver
USC24	182MM	138SA	LVT T-Shape 8mm Satin Nickel
USC25	183MM	139SA	LVT T-Shape 8mm Dark Bronze
LVT METAL TRIM 5.5 mm size			
USC26	184MM	140SA	LVT Square 5.5mm Satin Silver
USC27	185MM	141SA	LVT Square 5.5mm Satin Nickel
USC28	186MM	142SA	LVT Square 5.5mm Dark Bronze
USC29	187MM	143SA	LVT Reducer 5.5mm Satin Silver
USC30	188MM	144SA	LVT Reducer 5.5mm Satin Nickel
USC31	189MM	145SA	LVT Reducer 5.5mm Dark Bronze
USC32	190MM	146SA	LVT T-Shape 5.5mm Satin Silver
USC33	191MM	147SA	LVT T-Shape 5.5mm Satin Nickel
USC34	192MM	148SA	LVT T-Shape 5.5mm Dark Bronze
LVT METAL TRIM 3.5mm size			
USC35	193MM	149SA	LVT Square 3.5 mm Satin Silver
USC36	194MM	150SA	LVT Square 3.5mm Satin Nickel
USC37	195MM	151SA	LVT Square 3.5mm Dark Bronze
USC38	196MM	152SA	LVT Reducer 3.5mm Satin Silver
USC39	197MM	153SA	LVT Reducer 3.5mm Satin Nickel
USC40	198MM	154SA	LVT Reducer 3.5mm Dark Bronze
USC41	199MM	155SA	LVT T-Shape 3.5mm Satin Silver
USC42	200MM	156SA	LVT T-Shape 3.5mm Satin Nickel
USC43	201MM	157SA	LVT T-Shape 3.5mm Dark Bronze


TILE & STONE METAL TRIM			
CT	PC/SS	HS	
USC48	120MM	152TS	L Shape Silver Alum 1/4"
USC49	121MM	153TS	L Shape Silver Alum 5/16"
USC50	122MM	154TS	L Shape Silver Alum 3/8"
USC51	123MM	155TS	L Shape Silver Alum 1/2"
USC52	124MM	156TS	L Shape Satin Silver Alum 1/2"
USC53	125MM	157TS	L Shape Satin Silver Anodized Alum 3/8"
USC54	126MM	158TS	L Shape Satin Nickel Anodized Alum 3/8"
USC56	130MM	162TS	L Shape Bright White Pwd Coat Alum 3/8"
USC57	131MM	163TS	L Shape Bright White PVC 5/16"
USC58	132MM	164TS	L Shape Sandstone PVC 5/16"
USC59	133MM	165TS	L Shape Bright White PVC 3/8"
USC60	134MM	167TS	R Bullnose Satin Nickel Anodized Alum 3/8"
USC61	135MM	166TS	L Shape Sandstone PVC 3/8"
USC62	136MM	168TS	R Bullnose Polished Chrome Anodized Alum 5/16"
USC64	140MM	172TS	R Bullnose Bright White Pwd Coat Alum 3/8"
USC65	141MM	173TS	R Bullnose Stone Grey PwdCoat Alum 3/8"
USC66	142MM	174TS	R Bullnose Sandstone Pwd Coat Alum 3/8
USC67	143MM	175TS	RS Bullnose-Step Satin Anodized Alum 3/8"
USC68	144MM	176TS	R Bullnose Sandstone PVC 3/8
USC69	145MM	177TS	U Reducer Satin Anodized Alum Silver 3/8"
USC70	146MM	178TS	U Reducer Satin Anodized Alum 5/16"
USC71	147MM	179TS	T Shape Trim Satin Anodized Alum 9/16"
USC72	148MM	180TS	Q Shape Satin Silver Anodized Alum 3/8"
USC73	149MM	181TS	Q Shape Polished Chrome Anodized Alum 3/8"
USC74	150MM	182TS	TC Tile to Carpet Reducer Satin Silver Anodized Alum 1/2"

Shower Pan System

Watertight® Shower System – Shower Pan Master Kit


Kit options: 3'×5' Center Drain | 3'×5' Off-Center Drain | 4'×4' Linear Drain

- Everything you need to fit a standard 3'×5' shower tub enclosure
- Fast and easy installation
- Watertight wall boards are strong, lightweight, and vapor-resistant.
- Shower pan is pre-sloped and fiberglass-reinforced for added strength and rigidity.
- Available in 4'×4' linear drain, 3'×5' center drain, and 3'×5' off-center drain
- Fabricated in the USA
- No plumber needed
- Begin installing tile in less than an hour




INCLUDES:

- Components to fit a standard 3'×5' shower
- A.** 2X 5 pack 32" x 48" 1/2" sheets
 - B.** 1X drain assembly kit and choice of 5 drain finishes
 - C.** 1X 60" Curb
 - D.** 8X Watertight Shower System sealant
 - E.** 1X sealing kit
 - F.** 1X 12"×14" niche
 - G.** 1X watertight tape, 47"×32.48" roll
 - H.** 1X 100-pack screws and washers



INSTALLS IN 5 EASY STEPS:



Shower Pan System *continued*


DRAINS							
CT	SS	HS	SFB	MFB			
US369	446MM	229SU	440BA	507MB	01001	BRUSHED NICKEL	SHOWER KIT 32" X 60" OFF-CENTER DRAIN
US370	447MM	230SU	441BA	508MB	01002	BRUSHED NICKEL	SHOWER KIT 32" X 60" CENTER DRAIN
US371	448MM	231SU	442BA	509MB	01003	TILEABLE	SHOWER KIT 48" x 48" SINGLE SLOPE
US372	449MM	232SU	443BA	510MB	01004	BRUSHED NICKEL	MUD DRAIN KIT WITH BRUSHED NICKEL DRAIN
US373	450MM	233SU	444BA	511MB	01005	TILEABLE	ADJUSTABLE WALL TO WALL KIT
DRAIN COVERS							
CT	SS	HS	SFB	MFB			
US374	451MM	234SU	445BA	512MB	07000	BRUSHED BRONZE	DRAIN COVER 4" BRUSHED BRONZE
US375	452MM	235SU	446BA	513MB	07090	BRUSHED BRONZE DARK	DRAIN COVER 4" BRUSHED DARK BRONZE
US376	453MM	236SU	447BA	514MB	09000	MATTE BLACK	DRAIN COVER 4" MATTE BLACK
US377	454MM	237SU	448BA	515MB	01250	HIGH GLOSS SILVER	DRAIN COVER 4" CHROME
US378	455MM	238SU	449BA	516MB	01200	BRUSHED HIGH GLOSS SILVER	DRAIN COVER 4" BRUSHED CHROME
US379	456MM	239SU	450BA	517MB	01100	BRUSHED NICKEL/TITANIUM	DRAIN COVER 4" BRUSHED NICKEL
US380	457MM	240SU	451BA	518MB	02000	HIGH GLOSS GOLD	DRAIN COVER 4" GOLD
US381	458MM	241SU	452BA	519MB	01000	WHITE	DRAIN COVER 4" WHITE

Wall Base

Vinyl & Rubber Wall Base

- Through color construction
 - Zero stress whitening on the corners
- Softer feel for ease of installation
 - Regional availability

4" × 4' × .080' Vinyl Cove Base



Length Cartons:

CT US185 PC/SS 227MM


- 4' Length
- 30 lengths per box
- 120' per box
- 72 boxes per pallet

Roll Cartons:

CT US186 PC/SS 228MM

- 160' roll per box
- 32 boxes per pallet

4" × 4' × 1/8" Rubber Cove Base



Length Cartons:

CT US181 PC/SS 223MM


- 4' Length
- 30 lengths per box
- 120' per box
- 72 boxes per pallet

Roll Cartons:

CT US182 PC/SS 224MM

- 120' roll per box
- 32 boxes per pallet

4" × 4' × 1/8" Rubber Straight



Length Cartons:

CT US183 PC/SS 225MM


- 4' Length
- 30 lengths per box
- 120' per box
- 72 boxes per pallet

Roll Cartons:

CT US184 PC/SS 226MM

- 120' roll per box
- 32 boxes per pallet

4.5" × 4' × 1/8" Rubber Cove Base



Length Cartons:

CT US189 PC/SS 231MM


- 4' Length
- 30 lengths per box
- 120' per box
- 64 boxes per pallet

Roll Cartons*:

CT US232 PC/SS 259MM

- 120' roll per box
- 32 boxes per pallet
- *MTO product—3–4 week lead time

6" × 4' × 1/8" Rubber Cove Base



Length Cartons

CT US187 PC/SS 229MM

- 4' Length
- 24 lengths per box
- 96' per box
- 48 boxes per pallet

Roll Cartons:

CT US188 PC/SS 230MM


- 96' roll per box
- 20 boxes per pallet

Wall Base *continued*

Rubber Cove Eco Base

Rubber made from up to 90% recycled material. Available in three colors.

4" × 4' × 1/8" Rubber Cove Base





Length Cartons:


CT US190 PC/SS 232MM

- 4' Length, 30 lengths per box, 120' per box 72 boxes per pallet

Available Colors:

01 Onyx

54 Hearth

66 Iron

Roll Cartons:

CT US191 PC/SS 233MM











- 120' roll per box, 32 boxes per pallet

Wall Base Color Numbers & Names

In Stock *Colors (ship in two business days)*

 01 ONYX	 05 STONE	 11 SHALE	 39 EMBER	 40 SILVER LINING
 54 HEARTH	 64 JAVA	 66 IRON	 67 PEARL	 74 IVORY

Quick Ship *Colors (ship in 10 business days)*

 02 NIGHT	 14 BARLEY	 23 WHEAT	 35 ANTIQUED	 43 BISON
 48 NATURAL	 49 CHINA	 86 GRAPHITE	 90 ESPRESSO	 94 UMBER


Rubber Transitions

Add a functional finishing touch to your coordinated color scheme with FinishWorx Transition Strip products. Available in five profiles, transition pieces are available in nine colors that coordinate with the FinishWorx Wall Base color line.

Pinless Metal Track

Aluminum finish, no color


CT US230
PC/SS 5012V
HS 227VS



- 6' sticks sold by carton
- Each carton contains 6 sticks or 36'

Resilient Carpet Joiner 1/8"


CT US221
PC/SS 5016V
HS 231VS



- 12' sticks sold by carton
- Each carton contains 3 sticks or 36'

Carpet Reducer 5/16"

CT US222
PC/SS 5017V
HS 229VS



- 12' sticks sold by carton
- Each carton contains 3 sticks or 36'

Tile Carpet Joiner 1/8"

CT US223
PC/SS 5015V
HS 228VS




- 12' sticks sold by carton
- Each carton contains 3 sticks or 36'

Snap-Down T-Mold Divider 2"

Used with Pinless Metal Track

CT US224
PC/SS 5014V
HS 232VS




- 12' sticks sold by carton
- Each carton contains 3 sticks or 36'

Snap-Down T-Mold Divider 1 1/8"


Used with Pinless Metal Track

CT US225
PC/SS 5013V
HS 230VS



- 12' sticks sold by carton
- Each carton contains 3 sticks or 36'

Colors



01 Onyx



5 Stone



14 Barley



40 Silver Lining




43 Bison



48 Natural




49 China




54 Hearth



66 Iron




67 Pearl




74 Ivory

Micro Transitions




When flooring finishes are brought together at different heights, a transition strip is used to protect and level the finish materials. Avoid bulky strips, reduce tripping hazards and protect the edges of your flooring by using a sleek profile transition that supports mobility within a space.


Four versatile metallic options were developed to coordinate across a broad range of tonal values and hues in carpet tile and LVT. The gold, champagne, silver, and onyx colors encompass tones that will complement dark neutrals to lighter, natural tones for a highly usable and subtle solution.




Champagne 00100



Gold 00155



Silver 00500






Onyx 00595

Benefits

- Non ortho-phthalate thermoplastic rubber construction that is lightweight and abrasion-resistant with high tear strength
- Refined, minimal appearance that can reduce trip hazards
- Easy to install
- 2" x 94" flexible strip size for installation flexibility
- 2" reduction width, 94" length
- Three profiles from 2.0mm to 3.0mm designed to work with a variety of carpet and LVT combinations
- Four muted metallic colors to create a coordinated flooring installation
- 5-year warranty

Specification

	Dimensions	Pcs. per Carton	LF per Carton	Wt. per Carton
	2" W x 0.27" H x 94" L <i>0.098" (2.5mm) or 0.118" (3.0mm) LVT materials to carpet with total thickness of 0.200" (5.08mm) to 0.229" (5.82mm)</i>	10	78	8 lbs.
	2" W x 0.30" H x 94" L <i>0.098" (2.5mm) or 0.118" (3.0mm) LVT materials to carpet with total thickness of 0.230" (5.84mm) to 0.259" (6.58mm)</i>	10	78	10 lbs.
	2" W x 0.33" H x 94" L <i>0.098" (2.5mm) or 0.118" (3.0mm) LVT materials to carpet with total thickness of 0.260" (6.60mm) to 0.289" (7.34mm)</i>	10	78	14 lbs.

The Wedge

Subfloor Leveling Transition



CT US236
PC/SS 313MM
HS SOS14

- Thermoplastic Rubber (TPR)
- 1' W x 4' L
- 0.5"-0.0 thick
- 4 pieces (16 linear feet) per carton; 44 lbs.
- Resilient Accessories 5-Year Commercial Limited Warranty

Rubber Stair Treads

Integrated Stair Tread

The standard stair tread is a rubber, slip-resistant floor covering that is intended to increase safety conditions in stairwells. The standard tread comes in two sizes—4 foot and 6 foot. These are Raised Round pattern treads. They are slightly longer than normal dimensions to allow pattern alignment if desired (see installation instructions)




Construction
Overall Thickness
Nominal Dimension
Packaging



CT US227
PC/SS 215MM


Standard Stair Tread 4'
TP Rubber
1/8" (3.175 mm)
2" H (nose) × 48" L × 20" D
6 pieces per box – 24 linear feet



CT US226
PC/SS 217MM

Standard Stair Tread 6'
TP Rubber
1/8" (3.175 mm)
2" H (nose) × 72" L × 20" D
4 pieces per box – 24 linear feet

Colors



01 Onyx




05 Stone



43 Bison



48 Natural



54 Hearth



66 Iron

Photoluminescent Integrated Stair Treads

The photoluminescent stair tread is a rubber, slip-resistant floor covering that is intended to increase safety conditions and visibility in stairwells. The luminous tread comes in two sizes—4 foot and 6 foot. This tread is a must have for stairwells designated as emergency egress. These are Raised Round pattern treads. They are slightly longer than normal dimensions to allow pattern alignment if desired (see installation instructions).



Construction
Overall Thickness
Nominal Dimensions
Packaging

Luminous Stair Tread 4'
TP Rubber
1/8" (3.175 mm)
2" H (nose) × 48" L × 20" D
6 pc per box – 24 lin ft

Luminous Stair Tread 6'
TP Rubber
1/8" (3.175 mm)
2" H (nose) × 72" L × 20" D
4 pc per box – 24 lin ft

- Slip resistance for increased safety
- Mask substrate irregularities
- Available on GSA Contract
- FloorScore Certified
- 1 Year Commercial Limited Warranty
- Lights up when stairwell becomes dark, allowing pathway to outside in emergency situations
- Compliant to IBC and NYC codes for emergency egress marking
- Passes smoke generation tests

Colors



01 Onyx




05 Stone



43 Bison



48 Natural



54 Hearth



66 Iron

careworx™

St. Jude Program

Hard Surface Cleaner

32-oz. spray | 1-gal. refill | 4-oz. spray

CT

US262

PC/SS

164MM

HS

132SM

4-oz.

US263

170MM

139SM

116SM



- Multi-purpose cleaner
- Removes tough dirt, grease and scuffs
- No need to rinse!
- pH neutral cleaner
- Safe for all ceramic, pre-finished hardwood, laminate and resilient (LVT and sheet goods)
- 4-oz. sold by box only (36 bottles per box)
- 32-oz. sold by box only (12 per box)
- 1-gal. sold by box only (4 per box)

Hard Surface Cleaner Concentrate

32-oz.

PC/SS

HS

166MM

117SM



- Removes dirt, grease and scuffs
- Leaves floors sparkling clean
- No need to rinse
- Makes from 16-64 ready-to-use bottles based on strength needed
- Sold by case ONLY (6 bottles per carton)

Microfiber Cleaning Pads

CT

US141

PC/SS

167MM

HS

105SM



- Microfiber attracts dirt and dust
- Machine-washable pads can be washed hundreds of times
- More absorbent than conventional mops
- Sold by case ONLY (24 blue pads and 24 green pads)

Carpet Stain & Soil Remover

32-oz. spray | 4-oz. spray

CT

US251

PC/SS

168MM

HS

118SM

4-oz.

171MM

140SM



- Anti re-soiling treatment
- Approved by the Carpet and Rug Institute Inc. and the Wool Safe Institute
- No rinse/ no residue formulation
- 4-oz. bottle sold by box only (36 per box)
- 32-oz. sold by box only (6 per box)

Mop Kit

CT

US256

PC/SS

327MM

HS

173SM



- 1 aluminum mop handle and head
- 1 microfiber dry-use pad
- 1 microfiber damp-use pad
- 1 32-oz. bottle of Shaw Hard Surface Cleaner
- 6 kits per case (sold by case ONLY)



By purchasing a Shaw Floors cleaning product, you support the life-saving mission of St. Jude Children's Research Hospital®.

Clean never felt so good.

St. Jude Program *continued*

St. Jude Cleaner Display



- Shaw Floors Mop Kit: 1 case has 6 kits (sold by case ONLY, display holds 6 kits)
- Shaw Floors Carpet Cleaner: 32-oz. spray, 6 per case (display holds 12 on one shelf)
- Shaw Floors Hard Surface Cleaner: 32-oz. spray, 12 per case (sold by case ONLY, display holds 12 on one shelf)
- Shaw Floors Hard Surface Cleaner Refill Bottle: 1-gal. bottle, 4 per case (sold by case ONLY, display holds 6 on one shelf)
- Includes display only — does not include cleaning products

Resilient Care Products

Scratch Patch 1-qt. Bottle



- Durable finish to extend the beauty and finish of your luxury vinyl floor
- Revives original appearance of LVT/LVP
- Strengthens the original protection
- Prolongs life of your LVT/LVP floor
- Treats approximately 800-1,000 ft²
- 1-qt. bottle

COREtec Cleaners

Encore 4-oz. Hard surface cleaner

CT USC14



- pH neutral cleaner
- Removes dirt, grease and scuffs to leave your floor sparkling clean — with no need to rinse!
- Encore is specially formulated for cleaning all types of hard surface flooring including hardwood, ceramic, laminate and resilient flooring.
- Ships in box that converts to tabletop display
- Sold by box only (36 per box)

Encore 32-oz. Hard surface cleaner

CT 03276



- pH neutral cleaner
- Removes dirt, grease and scuffs to leave your floor sparkling clean — with no need to rinse!
- Encore is specially formulated for cleaning all types of hard surface flooring including hardwood, ceramic, laminate and resilient flooring.
- Sold by box only (12 per box)

COREtec Cleaners *continued*

Encore 1-gal. Jug

Hard surface cleaner

CT 03Z77



- pH neutral cleaner
- Removes dirt, grease and scuffs to leave your floor sparkling clean — with no need to rinse!
- Encore is specially formulated for cleaning all types of hard surface flooring including hardwood, ceramic, laminate and resilient flooring.
- Sold by box only (4 per box)

Encore Concentrate

Hard surface cleaner

CT 03Z78




- pH neutral cleaner
- Removes dirt, grease and scuffs to leave your floor sparkling clean — with no need to rinse!
- Encore is specially formulated for cleaning all types of hard surface flooring including hardwood, ceramic, laminate and resilient flooring.
- Makes 16–64 ready-to-use bottles based on strength needed
- Sold by box only (6 per box)

Pet Perfect Cleaners

Pet Perfect Hard Surface Cleaner

4-oz. bottle


CT US266
PC/SS 337MM
HS 176SM



- Multi-purpose cleaner
- Removes tough dirt, grease and scuffs
- No need to rinse!
- pH neutral cleaner
- Sold by box only (36 bottles per box)

Pet Perfect Hard Surface Cleaner

32-oz. bottle




- Multi-purpose cleaner
- Removes tough dirt, grease and scuffs
- No need to rinse!
- pH neutral cleaner
- Sold by box only (12 per box)

Pet Perfect Carpet Cleaner

4-oz. bottle


CT US264
PC/SS 335MM
HS 174SM



- Anti re-soiling treatment
- Approved by the Carpet and Rug Institute Inc. and the Wool Safe Institute
- No rinse / no residue formulation
- Sold by box only (36 per box)

Pet Perfect Carpet Cleaner

32-oz. bottle





- Anti re-soiling treatment
- Approved by the Carpet and Rug Institute Inc. and the Wool Safe Institute
- No rinse / no residue formulation
- Sold by box only (6 per box)

Walk Off Mats

High-Performance Entrance Mats

Protect your investment



- 2 patterns—Linear and Hobnail
- 2 colors—Charcoal and Brown
- 3 sizes—2×3, 4×6, and 4×12
- The 2×3 mats come packaged in a quantity of 5 per box
- Other sizes are ordered individually
- Solution-dyed needlebond polyester material
- Highly absorbent
- Durable construction
- Premium vinyl backing system
- Competitively priced

MOAT HOBNAIL (LEFT); BARRIER LINEAR (RIGHT)

Limited quantities available. Ask Shaw sales representative for details.

WALK OFF MATS			
CT	PC/SS	HS	
US196	287MM	157SM	Barrier Mat 2'x 3' Charcoal
US196	287MM	157SM	Barrier Mat 2'x 3' Brown
US197	288MM	158SM	Barrier Mat 4'x 6' Charcoal
US197	288MM	158SM	Barrier Mat 4'x 6' Brown
US198	289MM	159SM	Barrier Mat 4'x 12' Charcoal
US198	289MM	159SM	Barrier Mat 4'x 12' Brown

CT	PC/SS	HS	
US199	290MM	160SM	Moat Mat 2' x 3' Charcoal
US199	290MM	160SM	Moat Mat 2' x 3' Brown
US200	291MM	161SM	Moat Mat 4' x 6' Charcoal
US200	291MM	161SM	Moat Mat 4' x 6' Brown
US201	292MM	162SM	Moat Mat 4' x 12' Charcoal
US201	292MM	162SM	Moat Mat 4' x 12' Brown

Shaw Shower Wall System

Installation of Shaw's Wall System for shower walls is as easy as 1-2-3!

- 1. Waterproofing
- 2. Tile Installation
- 3. Finishing

See complete instructions for more details.



Style Names	Type	Installation	Size	Visual	Colors
Wall WaterPrep	Liquid Rubber	Roll/Paint	1-gal. pail 4-gal. pail	Dark Brown	N/A
Wall MS Adhesive	Silane Modified	Trowel	2-gal. pail 30-oz. tube	White	N/A
Wall Caulk	Silicone	Caulk Gun	10.5-oz. cartridge	N/A	7
Wall ForceFabric	Polyester	Lay into Wall WaterPrep	6" × 75' Roll	White	N/A
Wall WaterPrep Membrane	Polyethylene Sheet Membrane	Glue	39.4" × 98.4" (coverage 323 ft²)	TBD	N/A
Wall Square Trim	J Profile	Glue	5mm 96" length	Satin Silver or Polished Nickel	2
Wall Angle Trim	L Profile	Glue	5mm 96" length	Satin Silver or Polished Nickel	2
Wall Corner Trim	In/Out Corner Profile	Glue	5mm 96" length	Satin Silver or Polished Nickel	2
Wall Patch	TBD	Trowel	TBD	TBD	N/A
Wall Patch	Composite	Glue	TBD	White Gloss or Grey Gloss	2

Shaw Shower Wall System *continued*

WaterPrep – 1 gallon
WaterPrep – 4 gallon
MS Adhesive - 30-oz. tube
MS Adhesive – 2-gal.
Force Fabric
Waterprep Membrane
Waterprep Sealing Tape
Waterprep Inside Corner
Waterprep Outside Corner
Waterprep Pipe Collar
Waterprep Valve Collar
Waterprep Combo Pack (4 inside corners – 4 outside corners – 1 pipe collar – 1 valve collar)
Wall Caulk (8 colors)
Jcap Wall Trim 5mm – Satin Silver

Jcap Wall Trim 5 mm – Chrome
L-Shape Angle – Satin Silver
L-Shape Angle – Chrome
Inside Wall Corner Trim 5mm – Satin Silver
Inside Wall Corner Trim 5mm – Chrome
Outside Wall Corner Trim 5mm – Satin Silver
Outside Wall Corner Trim 5mm – Chrome
Flush Mount Bench Trim 5mm - Satin Silver
Flush Mount Bench Trim 5mm - Chrome
Flush Mount Corner Connector 5mm - Satin Silver
Flush Mount Corner Connector 5mm - Chrome
Wall Corner Shelf - Grey Gloss
Wall Corner Shelf - White Gloss
Shower Niche (3 colors - white, cameo, grey)

Quick Guide

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
prepworx				
FLOOR PREP				
Fine Finish Patch	BEST	Each	10 lb bag	108 bags
Underlay SLU	BETTER	Bag	50 lb bag	48 bags
ProPatch Plus (portland cement polymer modified PATCHING COMPOUND) Interior/Exterior Grade	BETTER	Each	25 lb bag	96 bags
FLOOR PREP FOR GYPSUM SUBFLOORS				
Tuf-Skim (gypsum repair patch - feather edge finish) PATCHING COMPOUND	BEST	Each	25 lb bag	100 bags
Quik-Top White FR (fiber reinforced) SELF LEVELER	BEST	Each	50 lb bag	56 bags
Quik-Top White SELF LEVELER UNDERLAYMENT	BETTER	Each	50 lb bag	56 bags
PRIMERS - WATERPROOFING - CRACK ISOLATION				
9050 Multi-Purpose Primer	BEST	Each	4 gal pail	48 pails
Fine Finish Primer	n/a	Each	1 gal jug - 4 per box	22 boxes / 208 jugs
Durock Primer Sealer PRIMER	n/a	Each	1 gal jug - 6 per box	48 boxes / 288 jugs
Fusion Primer (epoxy consolidation treatment PRIMER	n/a	Kit (2 cans)	.68 gal - kit of 2	36 boxes (2 cans per box)
Durock Matrix Bond Enhancer	n/a	Each	1 gal jug - 6 per box	48 boxes / 288 jugs
SLU Primer	n/a	Each	1 GALLON	144 jugs
Fabric Base	n/a	Each	8"×90' roll	405 rolls
UnGLU'D - Biodegradable PSA Adhesive Remover	n/a	Each	4-gal. pail	36 pails
Hydro Guard	n/a	Each	1-gal. pail	100 per pallet
Hydro Guard	n/a	Each	5-gal. pail	48 per pallet
Fracture Guard	n/a	Each	3.5-gal. pail	48 pails
MOISTURE SOLUTIONS				
MRP Barrier PRIMER	n/a	Each	4 gal pail	18 pails
Moisture Shield - moisture barrier or concrete	n/a	Each	4 gal pail	36 pails
Moisture Tek - Kit of Part A Resin and Part B Hardener (5 gal & 1 gal pails in one box)	n/a	Each	5 gal & 1 gal pail	18 pails
Surface Prep EXT	n/a	Each	4 gal pail	36 pails
Quik-Fill	n/a	Box	12 TUBES PER BOX	21.2 oz.
groundworx				
HARD SURFACE UNDERLAYMENT				
RESILIENT ACOUSTIC				
Hush III Cork 3mm - 100% Natural Cork	Best	Each	4' X 50'	Loose Loaded
GroundWorks LVP acoustical underlayment - use as either loose-lay/float or double-glue 1.4mm thick	Best	Each	3' × 33'	80 rolls
GroundWorks LVP acoustical underlayment - use as either loose-lay/float or double-glue	Best	Each	6' × 75'	n/a
Bravo Advanced (200 sf rolls) Optional underlayment for Floorté products	Better	Each	43" × 57'	65 rolls
HARDWOOD & LAMINATE MOISTURE & ACOUSTIC				
Selitac Advanced Underlayment	Best	Each	48" × 25'	72 boxes
Selitstop Tape	Best	Each	1.96" × 164'	1,500 rolls
Silent Step Ultra - 7 rolls in a box	Best	Each	40" × 30'	84 rolls / 12 boxes
HARDWOOD & LAMINATE ACOUSTIC				
Sofsound II - 1.5mm thick	Better	Each	6' × 33.33'	10 rolls
Essential Foam Underlayment - 100 sf roll	Good	Each	48" × 25'	120 rolls
Tri-Shield	Better	Each	42" x 28.57' / 100 sf / 2mm thick	48 rolls
HARDWOOD & LAMINATE MOISTURE				
2-in-1 Pro Foam Underlayment - 1.2mm thick	Better	Each	40' × 60'	72 rolls
ALL FLOORING TYPES ACOUSTIC				
Cork 6mm for Laminate, Wood and Tile	Best	Each	4' × 50'	Loose Loaded
ALL FLOORING TYPES MOISTURE (Excluding Tile & Stone)				
6 mm Black Poly Film 100 sf roll	Good	Each	46" × 26.333'	432 rolls / 12 rolls per box
6 mm Black Poly Film 400 sf roll	Good	Each	46" W × 104.5" L / 400 sf	144 rolls

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
ALL FLOORING TYPES ACOUSTIC & MOISTURE (Excluding Tile & Stone)				
Pet Perfect Resilient Underlayment	Best	Each	3.9'×25.7' / 100 sf	56 boxes
Foundation	Best	Each	4.54"×44'/200 sf/1.4mm thick	36 rolls
ALL FLOORING EXTREME MOISTURE				
Kovara 95 (Moisture Barrier effective up to 95% RH)	n/a	Each	5'×144'	12 rolls
Kovara 95 seam tape - 2" grey - 1 roll for every roll of Underlayment	n/a	Each	2"×180'	12 rolls
Kovara double-sided tape 4"	n/a	Each	4"×100'	48 rolls
Kovara MBX (Moisture Barrier effective up to 99% RH)	n/a	Each	5'×144'	12 rolls
Kovara MBX seam tape	n/a	Each	2.5"×180'	100 rolls
CARPET CUSHION				
ST. JUDE REBOND & URETHANE				
Hope - St. Jude Rebond	Best	Each	6'×30'	
Charity - St. Jude Memory Foam	Best	Each	6'×30'	
Courage - St. Jude Densified Polyurethane	Premium	Each	6'×45'	
Victorious Plus - St. Jude Polyurethane	Premium	Each	6'×45'	
REBOND				
Pet Perfect - 8 lb rebond with memory foam, activated carbon	Best		6'×30'	
White Hot - A/T exclusive, 8 lb rebond with moisture barrier	Best		6'×37'6"	
Memory Plus - rebond with moisture barrier, memory foam	Best		6'×30'stocking,6'×45'dropship	
Superior - 7 lb rebond	Better	Each	6'×45'	
Superior Plus - 7 lb rebond with moisture resistant barrier	Better	Each	6'×45'	
Ruby - 8 lb rebond	Better	Each		
Sunbeam - 5 lb rebond	Good	Each	6'×45'	
Altima - 5.5 lb rebond	Good	Each	6'×45'	
Support Plus - 6 lb rebond	Good	Each	6'×45'	
COMMERCIAL URETHANE				
Duraworx - Premium Frothed Polyurethane for commercial use	Best	Each	6'×45'	
SYNTHETIC FIBER				
Rug Pad 6' - Synthetic fiber with Rubber Backing	Best	Each	6'×60'	
Rug Pad 12' - Synthetic fiber with Rubber Backing	Best	Each	12'×60'	
DS-34 - for Double-Glue	Best	Each	6'×60'	
Fiber Touch 20	Better	Each	6'×60' or 12'×60'	
Fiber Touch 24	Better	Each	6'×60'	
Fiber Touch 28	Better	Each	6'×60' or 12'×60'	
Fiber Touch 32	Better	Each	6'×60' or 12'×60'	
Fiber Touch 40	Better	Each	6'×60' or 12'×60'	
Fiber Select 20	Good	Each	6'×60'	
Fiber Select 24	Good	Each	6'×60'	
Fiber Select 28	Good	Each	6'×60'	
Fiber Select 32	Good	Each	6'×60'	
Fiber Select 40	Good	Each	6'×60'	
lokworx				
TACK STRIP				
Tack Strip Concrete 11/16" Nail	Better	Box	48"×7/8"×1/4"	45 boxes
Tack Strip Contrete 5/8" Nail - Heavy Duty	Better	Box	48"×7/8"×1/4"	50 boxes
Tack Strip Wood 3/4"	Better	Box	48"×1"×1/4"	45 boxes
Tack Strip Elasticel	Better	Box	4/8"×1"×1/4"	30 boxes
SEAM TAPE				
Blue Line Seam Tape	Good	Box of 10	3½" w x 20 yd	36 boxes - 360 rolls
MULTI USE ADHESIVE				
TTT Adhesive / Tread-Trim-Tack Strip 10.5 oz. tube	Best	Box	7.87"×6"×11.56"	50 boxes - 600 tubes
TTT Adhesive / Tread-Trim-Tack Strip - 29 oz. tube	Best	Box	8.1"×5.4"×17.87"	126 boxes - 504 tubes
HARDWOOD ADHESIVES				
NO MOISTURE TEST HW ADHESIVE				
3-in-1 Ultra Adhesive	BEST	Each	4 gal pail	48 pails
35MC Urethane - Hardwood and Mineral Core Resilient	Best	Each	4 gal pail	36 pails

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
Tongue and Groove Adhesive - 12 bottles per box - 100 boxes per pallet	Best	Each	16 oz bottle	1200 bottles/ 100 boxes
MOISTURE TEST REQUIRED HW ADHESIVE				
Urebond Enhanced	Better	Each	4 gal pail	48 pails
Hybrid	Good	Each	4 gal pail	48 pails
SOFT SURFACE ADHESIVES				
BROADLOOM				
1000 Broadloom Adhesive	Best	Each	4 gal pail	48 pails
3800 Indoor-Outdoor Adhesive	Best	Each	4 gal pail	48 pails
Broadloom Seam Sealer	Best	Each	1 quart	n/a
800 Broadloom Adhesive	Good	Each	4 gal pail	48 pails
8300 Seam Sealer	n/a	Each	8 oz tube	720 tubes
CARPET TILE				
3000 LokWorx + Carpet Tile Adhesive 1 gallon	Best	Each	1 gal pail	180 pails
5000 Carpet Tile Adhesive 4 gallon	Best	Each	4 gal pail	48 pails
5000 LokWorx Carpet Tile Adhesive 1 gallon	Better	Each	1 gal pail	180 pails
5000 LokWorx Carpet Tile Adhesive 4 gallon	Better	Each	4 gal pail	48 pails
Lokseam Replacement Kit	Best	Each		
Lokseam Applicator	Best	Each		
Lokseam Starter Kit	Best	Each		
Lokdot Adhesive Half Sleeve - 4 rolls per sleeve	Best	Each		
Lokdot Adhesive Full Sleeve - 8 rolls per leeve	Best	Each		
Lokdot Applicator - sold by the each	Best	Each		
LokWorx Tab Dispenser Kit - Sold by the case only / 10 boxes of 500 squares / roll	Best			
SOFT SURFACE MULTI USE ADHESIVE				
Advantage Floor Grip	Best	Each	40"×150'	25
RESILIENT ADHESIVES				
COMMERCIAL RESILIENT				
4151 - Resilient & Carpet - commercial only	BEST	Each	4 gal pail	36 pails
4200 Resilient Adhesive 1 gal (Best Commercial Adhesive - Underbed Warranty)	Best	Each	1 gal pail	180 pails
4200 Resilient Adhesive 4 gal (Best Commercial Adhesive - Underbed Warranty)	Best	Each	4 gal pail	48 pails
S150-95 Spray Adhesive - Use with LVT/ LVP - ships 6 per box - sold by each	Best	Each	22 oz spray can	576 cans/ 96 boxes
MS Resilient - Moisture & sound control adhesive. No moisture or temperature limitations	BEST	Each	2 gal pail	60 pails
2200 Resilient 1 gal (Better Commercial Adhesive)	Better	Each	1 gal pail	180 pails
2200 Resilient 4 gal (Better Commercial Adhesive)	Better	Each	4 gal pail	48 pails
RESIDENTIAL RESILIENT				
200 TPS 1 gal - for LVT/LVP (Premium Residential Adhesive)	BEST	Each	1 gal pail	180 pails / 45 boxes
200 TPS 4 gal - for LVT/LVP (Premium Residential Adhesive)	BEST	Each	4 gal pail	48 pails
4062 Premium Seam Sealer	BEST	Each	8 oz bottle	648 bottles / 108 boxes
Shaw 350 Adhesive for fiberglass-backed sheet 1 gallon	BEST	Each	1 gal pail	144 pails
Shaw 350 Adhesive for fiberglass-backed sheet 4 gallons	BEST	Each	4 gal pail	48 pails
Kwik Flash 1 Gal	BETTER	Each	1 gal pail	144 pails
Kwik Flash 4 Gal	BETTER	Each	4 gal pail	48 pails
DP99 (for LVT, LVP, Fiberglass sheet, VCT & PVC backed Carpet Tile)	GOOD	Each	1 ga pail	144 pails
DP99 (for LVT, LVP, Fiberglass sheet, VCT & PVC backed Carpet Tile)	GOOD	Each	4 gal pail	48 pails
T-180 1 gallon - use with attached pad product - ships 4 pails in box - sold by each	MTI	Each	1 gal pail	144 pails
T-180 4 gallon - use with attached pad product	MTI	Each	4 gal pail	48 pails
WALL BASE ADHESIVE				
Wall Base Adhesive	BEST	Each	1 gal pail	36 pails
Wall Bass Adhesive 4 gal.	BEST	Each	4 gal pail	48 pails
Wall Base Adhesive Tube	BEST	Box	30 oz tube - 12 per box	720 tubes / 60 boxes of 12

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
Rubber Tread Glue	BEST	Each	1 gal pail	80 pails
Rubber Tread Nose Caulk required for Rubber Stair Tread - 13.5 oz tube	BEST	Each	13.5 oz	720 tubes / 20 boxes
Transition Tape	BEST	Each	1"W × 25'L	2,880 rolls
SETTING MATERIALS				
820 Merlite Lightweight Mortar Dustless Grey *same coverage as typical 50 lb bag of mortar	N/A	Each	30 lb bag	48 bags
820 Merlite Lightweight Mortar Dustless White *same coverage as typical 50 lb bag of mortar	N/A	Each	30 lb bag	48 bags
720 Dustless Marble Pro - Grey	N/A	Each	50 lb bag	48 bags
720 Dustless Marble Pro - White	N/A	Each	50 lb bag	48 bags
705 Dustless Thin Set - Grey	N/A	Each	50 lb bag	48 bags
705 Dustless Thin Set - White	N/A	Each	50 lb bag	48 bags
Pro Mastic 400	N/A	Each	1 gal pail	100 pails
Pro Mastic 400	N/A	Each	3.5 gal pail	48 pails
Burst	N/A	Each	1-lb. bag	420 bags (14 boxes of 30 bags)
GROUT				
Dura Color Non-Sanded Grout	n/a	Each	10 lb box	96 boxes
Dura Color Sanded Grout	n/a	Each	25 lb bag	96 bags
Pro Grout +	n/a	Each	25 lb bag	96 bags
Grout Sealer Quart	n/a	Each	1 quart	4 jugs per box / 28 boxes per pallet / 112 jugs per pallet
Grout Sealer Gallon	n/a	Each	1 gallon	96 jugs
Pro Epoxy Grout Commercial Kit	n/a	Each		
CAULK				
Colored Caulk Sanded	n/a	Each	10.5 oz tube	?
Colored Caulk Smooth	n/a	Each	10.5 oz tube	?
Silicone Caulk	n/a	Each	25 lb bag	96 bags
finishworx – matching resilient trims				
ALL FLOORS MATCHING TRIMS				
White Riser		Box	7.5" × 48" × 12.7mm	315 risers / 105 boxes of 3
Round Stair Tread		Each	12" × 48" × 8.5mm	60
Square Stair Tread		Each		
Baby Threshold		Each		
Quarter Round		Each		
T-Mold		Each		
Multi Purpose Reducer		Each		
Overlap Stairnose		Each		
Flush Stairnose		Each		
Omni Trim - Tmold & MPR		Each		
SpeedLink Spline				
MISCELLANEOUS METAL TRIM				
ZBar Silver - Carpet Trim utilized in doorways		Box of 25	1 3/8" × 48" × 2mm	2500 pieces / 100 boxes of 25
LVT METAL TRIM 8mm size				
LVT Square 8mm Satin Silver		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT Square 8mm Satin Nickel		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT Square 8mm Matte Black		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT Reducer 8mm Satin Silver		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT Reducer 8mm Satin Nickel		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT Reducer 8mm Matte Black		Box	1" × 84" × .44"	1040 trims / 208 boxes of 5
LVT T-Shape 8mm Satin Silver		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT T-Shape 8mm Satin Nickel		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT T-Shape 8mm Matte Black		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT METAL TRIM 5.5 mm size				
LVT Square 5.5mm Satin Silver		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT Square 5.5mm Satin Nickel		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT Square 5.5mm Matte Black		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT Reducer 5.5mm Satin Silver		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
LVT Reducer 5.5mm Satin Nickel		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT Reducer 5.5mm Matte Black		Box	1" × 84" × .25"	1040 trims / 208 boxes of 5
LVT T-Shape 5.5mm Satin Silver		Box	1.25" × 84" × .25"	1040 trims / 208 boxes of 5
LVT T-Shape 5.5mm Satin Nickel		Box	1.25" × 84" × .25"	1040 trims / 208 boxes of 5
LVT T-Shape 5.5mm Matte Black		Box	1.25" × 84" × .25"	1040 trims / 208 boxes of 5
LVT METAL TRIM 3.5mm size				
LVT Square 3.5 mm Satin Silver		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT Square 3.5mm Satin Nickel		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT Square 3.5mm Matte Black		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT Reducer 3.5mm Satin Silver		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT Reducer 3.5mm Satin Nickel		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT Reducer 3.5mm Matte Black		Box	1" 84" × .18"	1040 trims / 208 boxes of 5
LVT T-Shape 3.5mm Satin Silver		Box	1.25" × 84" × .18"	1040 trims / 208 boxes of 5
LVT T-Shape 3.5mm Satin Nickel		Box	1.25" × 84" × .18"	1040 trims / 208 boxes of 5
LVT T-Shape 3.5mm Matte Black		Box	1.25" × 84" × .18"	1040 trims / 208 boxes of 5
TILE & STONE METAL TRIM				
L Shape Silver Alum 1/4"		Box of 10	98.5" long	130 boxes
L Shape Silver Alum 5/16"		Box of 10	98.5" long	130 boxes
L Shape Silver Alum 3/8"		Box of 10	98.5" long	130 boxes
L Shape Silver Alum 1/2"		Box of 10	98.5" long	130 boxes
L Shape Satin Silver Alum 1/2"		Box of 10	98.5" long	130 boxes
L Shape Satin Silver Anodized Alum 3/8"		Box of 10	98.5" long	130 boxes
L Shape Satin Nickel Anodized Alum 3/8"		Box of 10	98.5" long	130 boxes
L Shape Bright White Pwd Coat Alum 3/8"		Box of 10	98.5" long	130 boxes
L Shape Bright White PVC 5/16"		Box of 10	98.5" long	130 boxes
L Shape Sandstone PVC 5/16"		Box of 10	98.5" long	130 boxes
L Shape Bright White PVC 3/8"		Box of 10	98.5" long	130 boxes
R Bullnose Satin Nickel Anodized Alum 3/8"		Box of 10	98.5" long	130 boxes
L Shape Sandstone PVC 3/8"		Box of 10	98.5" long	130 boxes
R Bullnose Polished Chrome Anodized Alum 5/16"		Box of 10	98.5" long	130 boxes
R Bullnose Bright White Pwd Coat Alum 3/8"		Box of 10	98.5" long	130 boxes
R Bullnose Stone Grey PwdCoat Alum 3/8"		Box of 10	98.5" long	130 boxes
R Bullnose Sandstone Pwd Coat Alum 3/8		Box of 10	98.5" long	130 boxes
RS Bullnose-Step Satin Anodized Alum 3/8"		Box of 5	98.5" long	130 boxes
R Bullnose Sandstone PVC 3/8		Box of 10	98.5" long	130 boxes
U Reducer Satin Anodized Alum Silver 3/8"		Box of 10	98.5" long	130 boxes
U Reducer Satin Anodized Alum 5/16"		Box of 10	98.5" long	130 boxes
T Shape Trim Satin Anodized Alum 9/16"		Box of 10	98.5" long	130 boxes
Q Shape Satin Silver Anodized Alum 3/8"		Box of 10	98.5" long	130 boxes
Q Shape Polished Chrome Anodized Alum 3/8"		Box of 10	98.5" long	130 boxes
TC Tile to Carpet Reducer Satin Silver Anodized Alum 1/2"		Box of 10	98.5" long	130 boxes
WALL BASE PROFILES				
4" x 4' x 1/8" Rubber Cove Length 4 / 48" sticks - 30 sticks per box - 120 LF		Box	4" × 4' × 1/8"	72
4" x 4' x 1/8" Rubber Cove Roll / 120' roll		Box	4" × 120' × 1/8"	32
4" x 4' x 1/8" Rubber Straight Length / 48" sticks - 30 sticks per box - 120 LF		Box	4" × 4' × 1/8"	72
4" x 4' x 1/8" Rubber Straight Roll / 120' roll		Box	4" × 120' × 1/8"	32
4" x 4' x .080" Vinyl Cove Length / 48" sticks - 30 sticks per box - 120 LF		Box	4" × 4' × .080"	72
4" x 4' x .080" Vinyl Cove Roll / 160' roll		Box	4" × 160' × .080"	32
6" x 4' x 1/8" Rubber Cove Length / 48" sticks - 24 sticks per box - 96 LF		Box	6" × 4' × 1/8"	48
6" x 4' x 1/8" Rubber Cove Roll / 96' roll		Box	6" × 96' × 1/8"	20
4.5" x 4' x 1/8" Rubber Cove Length / 48" sticks - 30 sticks per box - 120 LF		Box	4.5" × 4' × 1/8"	64
4.5" x 1/8" x 120' Rubber Cove Roll / 120' roll - MTO - not stocking		Box	4.5" × 120' × 1/8"	20

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
4" x 4' x 1/8" Rubber Cove Eco Base Length / 48" sticks - 30 sticks per box - 120 LF		Box	4" x 4' x 1/8"	72
4" x 120' x 1/8" Rubber Cove Eco Roll / 120' roll		Box	4" x 120' x 1/8"	32
RUBBER TRANSITION PIECES				
Carpet Reducer 5/16" (12' length - 3 per carton - 32' per carton)		Box	1 5/16" x 5/16" x 12'	132 boxes
Pinless Metal Track (6' length - 6 per carton - 36' per carton)		Box	1 1/4" x 6'	132 boxes
Resilient Carpet Joiner 1/8" (12' length - 3 per carton - 32' per carton)		Box	1 5/8" x 1/4" x 12'	132 boxes
Tile Carpet Joiner 1/8" (12' length - 3 per carton - 32' per carton)		Box	1" x 1/4" x 12'	132 boxes
T-Mold Snap-Down Divider 1 1/8" (12' length - 3 per carton - 32' per carton)		Box	1 1/8" x 7/16" x 12'	132 boxes
T-Mold Snap-Down Divider 2" (12' length - 3 per carton - 32' per carton)		Box	2" x 12'	132 boxes
WALL BASE MICRO TRANSITIONS				
Micro Transition .22 inches		Tube	2" W x .27" H x 94' L	132 tubes
Micro Transition .25 inches		Tube	2" W x .30" H x 94' L	110 tubes
Micro Transitions .28 inches		Tube	2" W x 33" H x 94' L	77 tubes
WALL BASE TRANSITIONS PREP				
12" Wedge / Leveler - 4 per box		Box	1/2" - 0" T / 48" L	27 boxes boxes per pallet
WALL BASE RUBBER TREADS				
4' Standard Rubber Stair Tread - 6 per box		Box	20" x 48" x 2"	120 treads / 20 boxes of 6
6' Standard Rubber Stair Tread - 4 per box		Box	20" x 72" x 2"	80 treads / 20 boxes of 4
4' Luminous Rubber Stair Tread - 6 per box		Box	20" x 48" x 2"	120 treads / 20 boxes of 6
6' Luninous Rubber Stair Tread - 4 per box		Box	20" x 72" x 2"	80 treads / 20 boxes of 4
careworx				
SHAW CLEANERS				
Carpet Stain & Soil Remover - 4 oz		Box of 36	4 oz spray	4320 bottles / 120 boxes
Carpet Stain & Soil Remover - 32 oz		Box of 6	32 oz spray	456 bottles / 76 boxes
Hard Surface Cleaner - 4 oz spray		Box of 36	4 oz spray	4320 bottles / 120 boxes
Hard Surface Cleaner 32 oz spray bottle		Box of 12	32 oz spray	480 bottles / 40 boxes
Hard Surface Cleaner - 1 gallon refill		Box of 4	1 gal jug	192 jugs / 48 boxes
Hard Surface Cleaner Concentrate		Box of 6	32 oz jug	456 jugs / 76 boxes
Mop Kit - 6 boxes per case - sold case only		Case of 6	n/a	120 boxes / 20 cases
Microfiber Cleaning Pads - 48 pads per box (24 green/24 blue) - sold by box only		Box of 48	n/a	2304 pads / 48 boxes
CARE PRODUCTS				
Scratch Patch		Bottle	32 oz bottle	396 bottles
St. Jude Cleaner Display				
CORETEC CLEANERS				
Encore 4 oz. spray bottle - Hard Surface Cleaner - box serves as countertop display		Box of 36	4 oz spray	4320 bottles / 120 boxes
Encore 32 oz. spray bottle - Hard Surface Cleaner		Box of 12	32 oz spray	480 bottles / 40 boxes
Encore 1 gallon jug - Hard Surface Cleaner Refill - sold by case only - 4 per case		Box of 4	1 gal jug	192 jugs / 48 boxes
Encore Concentrate - Hard Surface Cleaner - sold by case only - 6 per case		Box of 6	32 oz jug	456 jugs / 76 boxes
Scratch Patch		1-qt	32 oz bottle	396
PET PERFECT CLEANERS				
Pet Perfect Carpet Cleaner 4-oz. bottle		Box of 36	4 oz spray	4320 bottles / 120 boxes
Pet Perfect Carpet Cleaner 32-oz. bottle		Box of 6	32 oz spray	456 bottles / 76 boxes
Pet Perfect Hard Surface Cleaner 4-oz. bottle		Box of 36	4 oz spray	4320 bottles / 120 boxes
Pet Perfect Hard Surface Cleaner 32-oz. bottle		Box of 12	32 oz spray	480 bottles / 40 boxes

DESCRIPTION	RANK	UOM	SIZE	# PER PALLET
WALK OFF MATS				
Barrier Mat 2'x 3' Charcoal		Box of 5	2' x 3'	n/a
Barrier Mat 4' x 6' Charcoal		1 roll	4' x 6'	n/a
Barrier Mat 4' x 6' Brown		1 roll	4' x 6'	n/a
Barrier Mat 4' x 12' Charcoal		1 roll	4' x 12'	n/a
Barrier Mat 4' x 12' Brown		1 roll	4' x 12'	n/a
Moat Mat 4' x 6' Charcoal		1 roll	4' x 6'	n/a
Moat Mat 4' x 6' Brown		1 roll	4' x 6'	n/a
Moat Mat 4' x 12' Charcoal		1 roll	4' x 12'	n/a
Moat Mat 4' x 12' Brown		1 roll	4' x 12'	n/a
WALL PROGRAM				
Wall Install Products				
WaterPrep - 1 gallon		Each	1 gal pail	144 pails
WaterPrep - 4 gallon		Each	4 gal pail	36 pails
MS Adhesive - 30 oz. tube		Box of 12	30 oz tube	60 boxes
MS Adhesive - 2 gallon		Each	2 gal pail	60 pails
Force Fabric		Each	6"x75' roll	960 rolls
Waterprep Membrane		Each	39.4" x 98.4" roll	45 rolls
Waterprep Sealing Tape		Box of 10	4.7" x 32.8' roll	640 rolls
Waterprep Inside Corner		Box of 25		270 boxes
Waterprep Outside Corner		Box of 25		270 boxes
Waterprep Pipe Collar		Box of 25		270 boxes
Waterprep Valve Collar		Box of 25		120 boxes
Waterprep Combo Pack (4 inside corners - 4 outside corners - 1 pipe collar - 1 valve collar)		Box		120 boxes
Wall Caulk (8 colors)		Box of 4	10.1 oz tube	90 boxes (360 tubes)
Jcap Wall Trim 5mm - Satin Silver		Box of 3	2" W x 98" L	208 boxes
Jcap Wall Trim 5 mm - Chrome		Box of 3	2" W x 98" L	208 boxes
L-Shape Angle - Satin Silver		Box of 3	2" W x 96" L	208 boxes
L-Shape Angle - Chrome		Box of 3	2" W x 96" L	208 boxes
Inside Wall Corner Trim 5mm - Satin Silver		Box of 3	3" W x 98" L	208 boxes
Inside Wall Corner Trim 5mm - Chrome		Box of 3	3" W x 98" L	208 boxes
Outside Wall Corner Trim 5mm - Satin Silver		Box of 3	2" W x 98" L	208 boxes
Outside Wall Corner Trim 5mm - Chrome		Box of 3	2" W x 98" L	208 boxes
Flush Mount Bench Trim 5mm - Satin Silver		Box of 3	2" W x 98" L	208 boxes
Flush Mount Bench Trim 5mm - Chrome		Box of 3	2" W x 98" L	208 boxes
Flush Mount Corner Connector 5mm - Satin Silver		Box of 20	3.75" x 7"	200 boxes
Flush Mount Corner Connector 5mm - Chrome		Box of 20	3.75" x 7"	200 boxes
Wall Corner Shelf - Grey Gloss		Each	8" x 8" x .75" H	300 boxes
Wall Corner Shelf - White Gloss		Each	8" x 8" x .75" H	300 boxes
Shower Niche (3 colors - white, cameo, grey)		Each	3.5" D x 16" W x 39" T	84 boxes



Any questions or corrections should be sent to TotalWorxhelp@shawinc.com